# Joser Theatre, and MANKE HINDAYS

Catalog No.31

··· Containing many suggestions for the provision of better service and greater income for large and small theatres



# STORES

-each backed by a great national organization always at your service

> ORDER FROM OR MAKE BRANCH-SEE LIST AT RIGHT

If It's for Use in the Theatre, National Can Supply It.

BALTIMORE, MD. 309 N. Gay St. BOSTON, MASS. 211 Columbus Ave.

# National Theatre Supply Company

Executive Offices - 92-94-96 Gold St., New York

# Logical Reasons Why National Should Service Your Theatre:

NE source of supply — a definite standard of quality, and that the very best. Everything you need for the mechanical operation of your theatre can be supplied, promptly and with utmost satisfaction through National Service. A nearby source of supply at 30 well-equipped, well-stocked branch stores, with sales and service men always available on short notice, experts TRAINED TO SERVE YOU CONSCIENTIOUSLY, regardless of what your requirements may be. In the following paragraphs are briefly presented a few of the most important factors of National Service:



THE EXTERIOR — That part of the theatre which must attract the attention of the public. In exterior furnishings — electric signs and marquees, outdoor poster and banner frames, sign letters and flashers, flood-lighting and fancy exterior decorative effects, National is equipped to handle every requirement ranging from the very modest to the most ornate and expensive. National engineers plan and design, execute and supervise installation and thus insure against disappointment in the finished product. Estimates are supplied without obligation.

THE LOBBY AND FOYER are now universally recognized as two distinctively important departments of the theatre. The arrangement and furnishings must appeal to public taste. Carpets, furniture, sand urns, smoking stands, draperies, decorations, all



have an appealing influence on the patronage of the theatre. National supplies everything needed to properly outfit the foyer; labor and time-saving equipment for the lobby, as well as beautiful rubber mattings to serve as a protection to expensive carpets in the auditorium.


THE PROJECTION ROOM requires careful consideration in any theatre. Sound film projection makes necessary the provision of precision equipment and careful maintenance. National Service features every need for the modern projection room and National Service Men are on the job day or night to keep the show in operation. Many new and modern improvements for better projection are now available at your nearest National Branch store and a demonstration incurs no obligation. "If it is needed in the projection booth National has it."






SEATING. In no other department of the theatre is there need for more careful attention. Comfortable chairs, properly arranged for customer convenience are of utmost importance in any theatre, large or small. Reseating of many sound equipped houses has become necessary, due to the unsuitable acoustic properties of veneer back chairs. Upholstered seats do not cause reverberation. The National line of opera chairs is unsurpassed for beauty, sturdiness and sound absorption qualities. National seating experts are at your disposal.

LIGHTING. Correct lighting enhances the beauty and comforts of the theatre. At surprisingly small cost the entire lighting system of the theatre may be modernized and corrected, frequently in a manner that reduces the cost of electrical current. Correct lighting is a specialization with National, whose experts will gladly analyze your problems. An extensive line of popular-priced lighting fixtures, distinctly theatrical in character, is offered and specially designed fixtures are made to order. Cove lighting, flood lighting, color and scenic effects — anything that pertains to decorative lighting. Get a National estimate before you buy.



THE STAGE. In this department National will accept any challenge. Beautiful draperies and hangings, correctly designed to focus attention on the stage. Created by our own artists to ideally blend with the atmosphere of the theatre. Standard and novelty fabrics to suit every taste. Stage rigging and hardware; switchboards, footlights and borders, screen masking frames, horn towers — every conceivable device or apparatus for the modern stage is supplied through National Service. Consult your nearest branch on whatever you may need.

VENTILATION. Widely known engineers have designed scientifically correct equipment for the conditioning of atmosphere in the theatre. In combination with a correctly designed blower the National Air Washer removes foul air from the theatre, and properly ventilates houses of large and small capacity at unusually low cost for the initial installation. Protect the health of your patrons and cater to their preference for cool and comfortable entertainment with a National Ventilating System. Complete information on this modern theatre necessity may be had by simply asking a National representative.



The following pages contain illustrations and descriptions of many articles needed to "deluxe" the theatre and make it pay. ORDER FROM YOUR NEAREST NATIONAL BRANCH.

for Exterior

# Suggestions to Attract Patronage

#### Put Pep in Your Lobby Display

With These Popular-Priced Frames

EGYPTIAN DESIGN STURDY-ATTRACTIVE



These lobby display frames are sturdily built and finished for outside exposure. The ornaments are machine carved. The finish is polychrome effect gold and brown antique with blue striping, making a beautiful frame and positively the greatest value on the market today. These frames appeal to the exhibitor who wants an attractive well-made product at a reasonable price—one that will give good service under all conditions. The backs are genuine compo board. Doors are easily removed and are provided with a patented device which simplifies opening and closing. Glass is not furnished but grooves for glass are provided.

Get Two for the Usual Price of One

#### Exceptional Values At These Prices

In order to save handling and packing costs we offer these Egyptian design lobby frames, Nos. 100, 101 and 200 IN PAIRS ONLY, and have priced them so reasonably that the exhibitor can well afford to buy two frames for a little more than the usual price of one. The No. 604 frame may be purchased singly.

No. 100 One-Sheet Frame to hang; Egyptian design.

sign, TWO Frame

No. 101 One - Sheet Fr with Easel as illus-trated, Egyptian design, TWO

No. 200 Photo Frame hang, as illustrated, Egyptian design, TWO

No. 603 Combination O
Sheet and Photo
Case, with
Easel; Egyptian

NO

PARKING HERE

Special Price f. o. b.

Factory

\$800



KEEP SPACE CLEAR WITH

#### No Parking Signs

Why allow traffic to bar the entrance to your theatre? No need to tolerate blocked up unloading space for your patrons. No reason to "get by" with make-shift signs when you can avoid it with such small expense. Your patrons will not overlook your thoughtfulness in providing for their convenience. Others will respect your property rights. These Parking Signs are built entirely of steel with a heavy cast base. Most durable parking sign that can be had. Lettered in white on black background, so can be readily seen. Keep the space in front of your theatre free. Use "No Parking" Signs.

WE SUPPLY ALL KINDS OF OUT-DOOR AND INDOOR DIRECTIONAL SIGNS

Sunshine Chromium Floods

This flood-light was de-veloped for use where space is limited and light weight essential. The projector case is made of

Flooding Just the unit for Miniature Golf Courses projector case is made of heavy gauge aluminum, supported by a universal swivel crowfoot of cast aluminum. The reflector is the patented Sunshine arcshaped parabolic ring construction, chromium plated on copper. The lens is heat resisting, 11½ in. diameter, stippled diffusing, set in asbestos gaskets.

No. Ex-11 Sunshine Floodlight, equipped with 10 ft. fiexible rubber cable with armored plug cap, c o mplete.

WRITE FOR PRICES OF Height 154" Diameter 121/4" Depth 113/4" Weight 7% 1bs.

WRITE FOR PRICES ON OTHER PLOOD DEVICES

#### Sunshine Chromium Reflectors



NATIONAL SUPPLIES EVERY NEED FOR THE MODERN THEATRE FRONT -IF YOU DON'T FIND IT LISTED. WRITE - WE HAVE IT



#### THE NEWMANCO TICKET CHOPPER

Here is a ticket punching machine that looks like a million dollars in any lobby, and actually will stand up under the strain of continuous usage for a lifetime. Steel body, reinforced and beautified by cast corner ornaments. In finishes that cannot be scratched with ordinary usage. Aluminum trimmings, highly pollshed. Non-rusting needing no special attention. They also help make the machine light in weight. Full-length emergency door, with lock and key, exposes the ticket receptacle and mechanism simultaneously. (An exclusive feature.) Handles on two sides. Aluminum hopper minus square corners or angles, and highly polished to insure quick feeding of the tickets to the knives. (Another exclusive feature.) Iron-Clad Guarantee. You must be thoroughly satisfied that the Newmanco is exactly as represented. If not, we will make good. Every Newmanco mechanism is guaranteed. Regular Model—Choice of Mahogany or Verde (green) Antique. Price, f. o. b. factory

#### TICKET REGISTERS

IMPROVE THE SERVICE IN


IMPROVE THE SERVICE IN YOUR THEATRE

This is the new, closed-in type, drop-key model with all latest improvements. Made in 1, 2, 3, 4 and 5-unit capacities; each unit operating independently of the other with its own mechanism. Keys located at top of machine in line with cashier's vision, yet out of the way and not interfering with the loading of magazines. Open magazines make thread-up easier. All units may be locked and special locking feature insures utmost protection against issuing of tickets whether the current is on or off. Furnished also in raised-key type if desired. Prices, f. o. b. factory: Dropped-Key Type Ticket Register, enclosed steel cabinet models—Five-unit, \$475.00; fo ur - unit, \$425.00; three-unit, \$350.00; two - unit, \$275.00

EASY TIME PAYMENTS MAY BE ARRANGED FOR



#### A Cold-Weather Necessity



office more than the chilly air of winter. Relieve this condition by providing protec-tion for your cashier and better service for your patrons. This attractive
brass speaking
tube for ticket
window, made of
cast brass. Has
door on inside cast brass. Has
door on inside
m out h piece
to keep out cold
air. Illustration shows this
door partly open. Special
sizes to order. Directions:
Cut hole in glass ½
larger than size of tube
ordered. For example, for
2" tube cut hole 2½"
size. Prices — 3-inch diameter, \$17.50; 2½-inch
diameter,

Nothing inter-feres with ef-ficiency at the box-

ameter, diameter, \$14.00; 2 - inch diameter.

IF WHAT YOU NEED ISN'T LISTED HERE—WRITE THE NEAREST BRANCH

#### Make Quick Change Accurately

COINOMETER is guaranteed for 10 years and is backed by 28 years of manufacturing experience. Price f. o. b. factory

Swift Accurate Safe

Right or left

atest Model



The Coinometer way is the only way. There are no delays-noerrors-no disputes nor misunderstandings. Coinometer pays the change into a convenient cup at the customer's finger-tips. No fumbling of coins or scraping them from a flat surface or counter. Large fingers, delicate fingers, gloved fingers—they all scoop their change from the Coinometer cup with the same ease and grace. The cashier merely touches a key and in a split second the customer has the correct change and is happily on his way. Model "D" illustrated above actually calculates the customer's change. The cashier presses a key to correspond with the amount of the sale and Coinometer pays the difference direct to the customer. The keyboard illustrated above is popular in theatres. If keyboard is desired where cashier presses the amount she wishes to pay back, it can be supplied, at no extra cost. We can arrange keyboards to meet any changemaking requirement.

Adjustable Steel Chair for Cashiers and Operators



# Signs and Supplies for Sign Upkeep

#### Crystalite Changeable Sign Letters


Crystalite Letters are blown, not pressed, and the blowing process insures a perfectly smooth and uniform surface, both inside and outside, with consequent greater degree of illumination, Pressed letters, with rough inside surfaces quickly accumulate and hold dust, which soon impairs their illuminative quality. Crystalite Raised Opal Glass Letters are produced with the finest chemicals and pure Belgian Sand—this means brighter illumination Sand—this means brighter illumination and better wearing quality. The oxidized metal frames for Crystalite Letters simplify the changing of the letters. The frames are durably constructed to stand most severe treatment.



PRICES - F. O. B. GLENDALE, CALIF.

For Copper Frames, add 33 1/3 % to following prices.

		plete with	Glass Only
10#			
10"	Changeable Letters Complete, Each	51.90	\$1.10
12"		1.00	.07
12"	Quotation Marks (per set of two panels), Set	2.10	.28
12"	Word Plate "IN" (6" wide letters), Each	1.80	.70
12"	Word Plate "THE" (6" wide letters), Each	2.35	1.05
12"	Word Plate "THE" (6" wide letters), Each. Word Plate "WITH" (6" wide letters), Each We only supply 10" numerals mounted in	2.90	1.40
	We only supply 10" numerals mounted in		
	12" frames for 12" Changeable Letters,		
	Each	1.90	.80
	Blank Spacers, assorted widths \$0.90 per		
	running ft.		
10"	Changeable Letters and Numerals complete,		
	Each	1.50	.80
10"	Periods, Commas and Apostrophes, Each	.80	.06
10"	Quotation Marks (per set of 2 panels), Set	1.70	.24
10"	Word Plate "IN" (3" letters) complete, Each	1.45	.70
10"	Word Plate "THE" (3" letters) complete,		
	Each Word Plate "WITH" (3" letters) complete,	1.70	.80
10"	Word Plate "WITH" (3" letters) complete,		
	ERCh	1.95	.90
	Blank Spacers, assorted widths \$0.90		
	running ft.		
8"	Changeable Letters and Numerals complete,	0725-07	- 14 - 5
-	Each ************************************	.85	.60
8"	Periods, Commas, Quotation Marks, Word		
0.00	Plates and Spacers, same price as 6".		
6.	Changeable Letters and Numerals complete,	-	-
000	Each	.60	.35
6"	Periods, Commas, Apostrophes complete,		-
ON	Each	.35	.05
O.	Quotation Marks (per set of 2 panels), Set	.80	.20
0	word Plate "IN" (3" letters) complete,	7.00	Pla.
011	Word Plate "IN" (3" letters) complete, Each Word Plate "THE" (3" letters) complete,	1.00	.70
0.	Word Plate "THE" (3" letters) complete,	1.05	
en.	Word Diete WWINTER (OF letters)	1.25	.80
0	Each Word Plate "WITH" (3" letters) complete, Each	1.50	.90
	Spacers 2" wide, Each	1.00	1
	Spacers 4" wide, Each	.15	
	Spacers 4" wide Each	.20	
	Spacers 6" wide, Each	.25	*******
Cha	Spacers 10" wide, Each		*******
Cha	racters ? — % \$ ¢ &Same p	rice as le	etters



#### Cast Aluminum SIGN LETTERS

Highly attractive, indestructible letters for the sign or marquee. You can throw them on the sidewalk without damage. They pay for themselves in a short time by saving on replacement. Require no bracing and highly impervious to outdoor elements. Nothing adds more to the appeal of theatre advertising than an attractive well-kept sign. An adequate supply of letters is always advisable. We supply Cast Aluminum Letters unfinished or finished to your order at slight additional cost.

PRICES AND SIZES ON REQUEST.

#### **Admission Sign**





#### Res Half Hoods

Used for channel letters and similar work where a reflection is necessary, Standard Colors — Ruby, Blue, Daylo Blue, Green, Amber, Canary and Opal.

To.	SH 14	or	S 14-10W	Lamp.	Each	30.20	
Vo.			A17-15W			.25	
Vo.	AH19f	or	A19-25W	Lamp.	Each	.35	
Vo.	AH21f	or	A21-40W				
	5	0W	. 60W	Lamps.	Each	.45	



#### **Full Hoods**

Used on electric signs, canopy ard marquee lighting, exits, elevator signals, etc., and in combination with hood holders. Standard Colors — Ruby, Blue, Daylo Blue, Green, Amber, Canary and Opal.



				Lamp,		\$0.25
			1-40W			
10	50W	7,	60W	Lamps,	Each	.50

#### National Exit Boxes

We show here the National Exit Box. It is constructed of the very best material, designed and put together in such a way that every box will wear for years. Comes complete with exit glass size 8x10—the word "Exit" being sandblasted into the glass; letters show white against a red \$15 background.



#### Don't Allow Patrons to Wander

DIRECT THEM



These directional are distinctive signs and different from any other sign. Their ar-tistic appearance creates an impression of quality. They harmo-nize perfectly with their surroundings and

their surroundings and direct your patrons to the proper locations of the various departments of your house. Metal frames are finand Statuary Bronze. One style frame can be used for either double face projecting sign with bracket at end, or single face to fasten flat against wall with bracket at back. Standard Mazda lamp known as T8 is used but is not furnished with sign. Sign has glass size 6"x14", overall size 8"x16".

STANDARD INSCRIPTIONS: Women, Ladies, Ladies' Room, Ladies' Lounge, Men, Gentlemen, Men's Room, Men's Lounge, Smoking Room, Manager, Balcony, Check Room, Telephone, Telephones, Information, Silence, Silence Please, Aisle, Aisle 1, Aisle 2, Aisle 3, Aisle 4, Aisle 5.

SPECIAL INSCRIPTIONS: Special inscriptions of 1 or 2 lines of lettering, \$5.40 per glass extra. Send for complete circular on other styles and sizes.

Double-faced Directional Signs with standard inscription, less lamp, each \$18.00. Single-faced Directional Signs with standard inscription, like illustrated (without lamp)....

# **Advertising and Posting Accessories**

#### **A Perfect Posting Paste**

Jellitac adheres permanently under all climatic conditions, whether hot or cold, dry or wet, and is not affected by sudden changes of temperature. Even when used to hold labels on bottles in an ice chest, which is a severe test, it holds. The quality you are most interested in when you buy paste is ADHESIVENESS. There is more adhesiveness in a pound of JELLITAC than in 1% to 1½ pounds of most other pastes because: It will make more wet paste per pound of dry powder. It will never stain. It is unaffected by heat (sun) cold, (refrigerated cars) or moisture

Put up in 100, 50, 25



#### Popular Model Poster Brush



Warranted all black and grey Russian bristles. Russian bristles.
Made very strong
and full. Copper
w i r e fastened.
Strong, light
weight, maple

weight, maple blocks, re-inforced with screws to pre-vent splitting. Galvan ized iron pro-tected corners. No. 2 Poster 20 Bill Brush,

inches wide, 34 inches long, compris-ing 10 knots grey Russian

bristles, each When ordering brush, state the handle hole wanted — whether straight bore or slanted.

Bill Poster Brush Handles, each......

#### TYPEWRITER MATS

for Announcement Slides



For making an-nouncements and hand-ling advertising, for dozens of uses that dozens of uses that tend to increase pat-ronage and good will, Typewriter Slides are the ideal medium—at-tractive, econom-ical, time-ravi tractive, e c o n o mical, time-saving. You
can hit the mark! with
Peerless Slides. You
know You know your community as no outsider does.
You know how to talk to your people. On Typewriter Slides your message and that of message and that of local advertisers is sure of a profitable response. Colors: Green, White,

Amher. Per Box... \$150

#### This Device Pays for Itself



The Cutawl

For quick and accurate cutting, scenery, lobby displays, signs, screens, etc. Pays for itself in the work it does and the savings it makes possible. This easily operated, rapid cutting machine is now being used for cutout work in hundreds of theatres. It produces, quickly and accurately, lobby displays, scenery, screens, grille work, signs, stage settings and all other cutout work. It opens the door to opportunity for greater achieve-For quick and accu-

cutout work. It opens the door to opportunity for greater achievement and increased production—pays for itself in the saving in time and labor it effects. Provides two methods of cutting—with a chisel for soft materials, or with a saw for hard materials and is convertible for either use by the substitution of one blade for the other. It is powerful, having a 1/12 horse power universal motor to operate on either A.C. or D.C. from any 110 volt lighting circuit. It is portable, weighing only 13 pounds, and can be operated in any plane—horizontal, vertical or oblique. It slides over the work and is limited only by the length of the cord. When inverted in the saw table, which may be mounted flush in the work bench, the Cutawl answers all purposes of a band saw or jig saw, with this great advantage—the swiveling action of the saw makes it unnecessary to turn the work, so that a scroll or circular hole may be sawed in a sheet of material 3 feet wide by 8 feet long as easily as in a piece 1 foot square. Complete including 110-120 volt universal motor which operates from any lighting socket—\$ 13500 Chicago

Carrying Case - \$5.00

New adjustable bevel cutter to cut any bevel between 45° and 65°. Fits all Model K-6 and K-7 Cutawls. Price \$12.50, f. o. b. Chicago.

#### Diamond Flasher Buttons

PROVIDE ACTION AT LOW COST

The exhibitor knows how much in actual profit it means to get immediate attention to his lighted displays in competition with the man next door or across the street. For lobby display, marquis and stage effects where you want money making and money saving economy in operation use Diamond Flasher Buttons. Slipped into any socket flashes the light. Their use decreases current consumption 35% and increases the life of the lamp. No motors to worry about. It is the only patented flasher button and guaranteed for 1000 hours steady burnin. Price, each.



#### National Thumb Tacks



1/2 Inch

High-grade steel - needle pointed; nickeled.

1/2", Per Box 100 ... %", Per Carton 1,000 \_\_\_\_\_ 2.00



#### **Magnetized Tack Hammers**



Essential to efficient posting. Made of high grade material Magnetic, Made sections. two Price,

#### HEAVY EMBOSSED LETTER DATERS



#### ATTRACTIVE - DURABLE - LEGIBLE

#### 3 x 14 CARDBOARD STRIPS

Can be furnished in the following words: Sunday. Monday, Tuesday, Wednesday, Thurs-day, Friday, Saturday, Today, Tomorrow, Coming, Tonight. Each, \$0.02; per hundred.....

#### 6 x 28 CARDBOARD STRIPS

These strips are printed on heavy enameled cardboard in two colors. Can be furnished in the following wordings: Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Feature Tonight, Today, Tomorrow, Tonight, Coming, Matinee, Special Attraction, Special Feature Tomorrow, Special Feature Today, Matinee and Night. Per Hundred, assorted, if desired

#### 3 x 14 ALUMINUM STRIPS

A very high grade metal Date Strip, made in 3x14 size. Furnished in the following words: Sunday day, Tuesday, Wednesday, Thursday, Friday rday, Tomorrow, Coming. Price, 35c only. Fur Monday, Saturday, each ...

#### COVER GLASS

Cut the exact size for slide making. You slip your copy between the plates and bind the glass together. Per dozen

#### SLIDE BINDING TAPE

Made of tough material, gummed, ready for binding cover glass together. Per bundle of

Each ...

#### Rosco Lamp Colorine

(TRANSPARENT) Clear, brilliant colors which give the effect of colored glass. Exact shades and tones for all Scenic, Display, Ornamental, Signal and Decorative lighting. Blend beautifully and contrast harmoniously. Of moniously. Of strong color projection and excellent color life. Dries in three minutes. three minutes. Colors as follows: 120 Cardinal Rose;
122 Ruby Red;
125 Magenta; 132 Moonlight Blue; 133 Steel Blue; 135 Urban Blue; 142 Emerald Green; 150 Straw; 156 Golden Amber; 157 Sunset Gold; 162 Flesh Pink; 167 Dubarry Pink; 170 Purple; 186 Canary. Packed in bottles, pints, quarts and gallons. Dipping cup furnished with each order. Quart bottles, each \$3.00; pint bottles, each

#### DAVIDS' SLIDE INK



An extra fine quality of slide ink that has been popular with projectionists for years, because it always gives finest results. The only ink that we have ever found to give entire satisfaction in the making of slides. It comes in six colors, Red, Blue, Green, White, Purple, Black. Per Bottle \$0.25.

Bottles

#### VITAPHONE RECORD OR SLIDE PENCIL

169 Blaisdell SHINA MARKING Each ....

15°

Every department of your theatre should be clearly identified with neat, uniform signs. These attractive etched letter signs with borders of rich brass lustre or jet black background are just what you need. Celluloid lacquered to retain finish; easily cleaned with moist cloth. Following is the assortment of wordings:

Toilet Entrance Check Room Rest Room Manager Private No Admittance

Ladies Gentlemen Pull Push No Smoking Keep Out Public Phone

Brass Sign Plate, size 11/2x7 inches with holes for attaching.

# Floor Coverings for Entrance—Lobby

#### **Rub-Tex Corrugated Matting**



A corrugated matting of standard design, but made of material especially compounded to insure the elasticity, resistance to abrasion and all the other qualities that make for long life and consistent service. Made with or without fabric insert. We recommend the fabric insert type to avoid possibility of tearing if matting will be subjected to frequent handling. Rub-Tex Corrugated Matting is not limited to black. It can be also furnished in solid gray, red, maroon; mottled effects of black with gold mottling, green with white mottling, green with black and white mottling and red with black and white mottling. It is made in thicknesses of ¼", ¾"; rolls of 50 yards in length and standard widths of 24" to 48".

Prices f. o. b. Indianapolis, Ind.

#### CORRUGATED RUBBER MATTING WITH BURLAP INSERT IN BLACK OR GRAY

1/8"x48"	per	lineal	yd 8	31.20	1 18 "3	27"	per	lineal	yd8	81.15
38"x45"		lineal	yd	1.10				lineal		
1/8"x36"	per	lineal	yd	.88	1/4"3	45"	per	lineal	yd	2.75
1/8"x30"	per	lineal	yd	.76	1/4">	236"	per	lineal	yd	1.75
1/8"x27"	per	lineal	yd	.68	1/4">	30"	per	lineal	yd	1.60
1/8"x24"	per	lineal	yd	.61	1/4/13	27"	per	lineal	yd	1.55
18"x48"		lineal			3/8"3	45"	per	lineal	yd	4.00
4 "x45"	per	lineal	yd	1.75	3/2"3	236"	per	lineal	yd	2,60
3 "x36"		lineal			3/8"3	30"	per	lineal	yd	2.40
18"x30"					3/8"3	27"	per	lineal	yd	2.35

RED CORRUGATED MATTING, CLOTH INSERT  $\frac{1}{4}$ "x36" per lineal yd.....\$1.80 |  $\frac{1}{16}$ "x48" per lineal yd.....\$3.20 |  $\frac{1}{4}$ "x36" per lineal yd..... 3.35

CORRUGATED MAROON MATTING, CLOTH INSERT 1/8"x36" per lineal yd.....\$1.35 |

MOTTLED CORRUGATED MATTING WITH CLOTH INSERT — BLACK WITH GOLD MOTTLING 1/2"x36" per lineal yd.....\$1.55 | 1/4"x36" per lineal yd.....\$3.00 fb "x36" per lineal yd.....\$3.00

GREEN WITH WHITE MOTTLING, OR GREEN WITH BLACK AND WHITE MOTTLING

%"x36" per lineal yd.....\$2.20 | %"x36" per lineal yd.....\$4.40

RED WITH BLACK AND WHITE MOTTLING 14"x36" per lineal yd....\$2.10 | 14"x36" per lineal yd.....\$4.20

#### **Rub-Tex Stair Treads**




Have all the life, quality and character of Rub-Tex Rubber Carpet, Made in the same five color patterns as the carpet, also in plain black and marcon.

Special colors can be furnished on application. The nosing is moulded in the rubber tread, easily and snugly fitting over the edge of the stair step. Corrugated non-slip tread. Made in 9"x24" and 9"x36" sizes.

Prices, f. o. b. Indianapolis, Indiana.

# Rub-Tex Perforated Rubber



Pattern No. 1-Showing Inlaid Letter

Rub-Tex Corrugated and perforated Mats are practical, have originality, individuality and color. They are made in several stock sizes as listed below; also special sizes made to order to fit any space. They may be made an integral and harmonious part of the design of any lobby, foyer, entrance or hallway. Made not only in the conventional black, but in a suitable range of plain colors and checkerboard color combinations. Names, street numbers, trade-marks or other insignia can be moulded pleasingly into the mat itself to identify the institutions in which they are used. These mats are compounded and built by experts to stand the wear and tear of constant heavy traffic. They are a durable, non-slipping and attractive protection to carpets and other interior floorings against the dirt, slush, mud and grime of the street.

How to Order Rub-Tex Perforated Mats: Inasmuch as the majority of these mats are specially designed and individually made, it is necessary that orders for special sizes should give the following data: A sketch showing shape, dimensions, the style and design of any incorporated wording, numbers, etc., and any sides which should be beveled; instructions regarding thickness of mat and pattern of perforations desired. Color instructions, including if possible samples of colors to be matched and a sketch with dimensions showing how the various colors are to be applied in borders and body of checkerboard colored mats. Mats will always be furnished with corrugated non-slip upper surface unless otherwise specifically ordered.

Special Sizes: Made to order, with or without cloth insert. We suggest that unless you have some other preference that all special size mats be made with a cloth insert as the mat is less liable to tear.

Prices f. o. b. Indianapolis, Ind.

Prices f. o. b. Indianapolis, Ind.

#### BLACK, CORRUGATED AND PERFORATED—STANDARD STOCK SIZES—3/4" PUNCH

18"X30"X15"31.20		20"x40"x 1/4"\$2.75	each
	each	3' x 5'x¼" 7.50	each
	each		
10 A00 A74	each	3' x 5'x %"10.00	eacn

#### BLACK, CORRUGATED BUT NOT PERFORATED— SPECIAL SIZES TO ORDER

Black, Corrugated but not Perforated—Special Sizes to Order ¼" thick—per sq. ft......\$ .50 ½" thick—per sq. ft......\$ .90 %" thick—per sq. ft....... 67 %" thick—per sq. ft..................1.05

#### CORRUGATED AND PERFORATED—SPECIAL SIZES TO ORDER

1/4"	thick-per	sq.	ft	80.60	Red \$0.90	S1.00
3/8"	thick-per	Sq.	ft	1.00	1.20	1.35
5/8"	thick—per	sq.	ft	1.20	1.80	2.00

#### CORRUGATED AND PERFORATED—TWO-COLOR INLAID CHECKERBOARD MATS

¼" thick—per sq. ft.....\$1.10 %" thick—per sq. ft..... 1.50 1/4" thick—per sq. ft.......\$1.85 %" thick—per sq. ft...... 2.25

#### BLOCK LETTERING IN RED, WHITE OR BLACK

3, 4, or 5 in. Letters, each per letter or number 3, 30, 6, 7, or 8 in. Letters, each per letter or number 45, 10 or 12 in. Letters, each per letter or number 60

BLOCK LETTERING IN BLUE OR GREEN Pressed

\$2.25

\$4.50

#### SCRIPT OR SPECIAL DESIGN LETTERS

Any size, each letter or number .....

Any color, each letter or number.....

NOTE: Special insignia, monograms or emblems can be moulded into these mats, and prices on same will be given if we are furnished with a sketch of the design required.

#### Rub-Tex Mottled Rubber Carpet



Rub - Tex Mottled smooth Mottled smooth surface rubber carpet has life a n d variety The colors are c l e a r a n d bright; t h e y w i l l retain their attractive appearance indefinitely. The marbled mottling of these colors form a consistent pattern, uniform but not monotonous. The color combina-

Rubber Carpet is adaptable for many uses. Wherever conditions make the use of rubber floor covering desirable, and the older types of rubber floor covering desirable, and the older types of rubber flooring material are not suitable this rubber carpet will particularly fill the need. Where lights should be reflected it will fill a long feit want. It is made in rolls 15 yards in length, widths of 24" and 36", thicknesses of ½" and ½". The lengths of rubber carpet can be inexpensively laid as a permanent flooring, or it will lie flat on the floor without fastening under most conditions. The tough durable new rubber compound of which it is made will be found to have all the qualities essential to long life even under conditions of severe service. The pattern is no surface application; it extends clear through the rubber, so that protracted wear will not impair the attractive appearance of the material, Made regularly in five color effects. Black with a rick veining of attractive red; Green and white; green with mottling of black, yellow and white; blue with enough red, yellow, and white to give texture and warmth; a sedate gray relieved by touches of brown, black and light blue, and a brown of general oaken tone with a brighter tracery of yellow, green and white. Made in 15 yard rolls—24" and 36" widths. Prices f. o. b. Indianapolis, ½" thickness, per sq. yd. \$2.45. ½" thickness, per sq. yd. \$2.45. ½" thickness,

#### **Boston Rubber Fabric** Link Mats



#### The Benton Tally Register



An indispensable little device needed frequently around the theatre. One should be kept on hand. Accurately designed to make correct count of people entering or leaving theatre, or any other place where a count is necessary. It is about the size of a watch. No. 6—1 to \$4.00. —1 to 1,000, No. 1-10,000

#### **Veeder Hand Tally Counters**

Great care has been taken in the construction of the Veeder-Root Hand Tally counter. Nothing has been overlooked to make it the best instrument of its kind possible to build. Being made of brass, nickel silver and Veeder Metal without any steel parts, it cannot rust. The brass case is finished in the very distinctive black shriveled effect. The figures are marked in black contrasting with the silver-like Veeder metal background. There are four of these figure wheels which permit the counter to add up to 10,000 and then repeat. A reset knob at the right brings the figures to all zeroes from any num complete turn. These counters are made to last for years if not abused. They are guaranteed for one year by the manufacturers. Price. 1191219

#### Safe With Revolving Door Chest



COUTS BURGLARY INSURANCE 10%

A Chest Built upon New Basic Principles; a burglary chest, the door of which revolves into the open position. This eliminates the hinges found on other safes and chests. The operation of the door is simple and positive; there is nothing to get out of adjustment. It is obvious that this door cannot get in the way, as is often the case with the swinging door, particularly when the chest is installed in cramped quarters. The Revolving Door Chest can be built into a wall or installed in cramped quarters. The body of the York Revolving Door Chest can be door and body are ground to a perfect fit, giving metal to metal contact to exclude liquid explosives. The bolt work prevents the rotation of the door—the actual locking being done by the lugs. The face of the York Revolving Door Chest is finished in polished steel, making it a very beautiful product. The illustration shows the chest as it appears with the dial in place. The dial can be taken off every night, or, in case it is broken during a burglar attack, an auxiliary dial can be used to open the chest. The handles are all that a burglar can attack on the face of the Chest and they are not needed to rotate the door. When it is desirable to give an unusual degree of protection from fire to the contents of the chest, it can be built into a York safe, as shown in the illustration above. The chest is built into the safe in such a manner that it would be impossible for a burglar to remove it without destroying the safe. The space above the chest in a larger York safe. Height of space above the chest, 5 inches. ASK FOR FULL DETAILS, SPECIFICATIONS, DIMENSIONS, PRICES.

#### THEATRE RECORD BOOK



THE EXHIBITOR'S PRIEND

Every theatre, large or small cannot well afford to get along without this inexpensive record system. It pays for itself many times over every year in saving of time alone. A nicely bound book of 60 pages. A simple and efficient bookkeeping system for the theatre. A week's record on the page, receipts, expenses, etc., on one side, a film record on the other. Imitation leather cover, loth binding and corners. Size of book, 8¼ x 10½ in c hes. well afford to get along

# Keep Your House Cool, Comfortable

#### In Summer or Winter Ventilate Your Theatre and Increase Its Patronage



Durable—because it is constructed entirely of steel. Quiet—because the Sirocco Fan operates at a lower speed than any other fan. Efficient-because in its design are incorporated the refinements developed in the 48 years of experience in air handling equipment by American Blower Engineers and Aerologists. Housing is double width, double inlet, full housed type built of blue annealed leveled steel sheets, and reinforced with heavy structural steel angles. The scroll sheet is secured to the side plates by means of a special air tight, double lapped, beaded joint. The double width, double inlet Sirocco wheel is constructed with 60 die formed, curved blades securely riveted to the rims. Ball bearings are used to minimize friction. These bearings are especially designed to withstand end thrust as well as the radial load, and are of the highest grade precision type. Shaft is solid steel, and is extended beyond both bearings on each side of fan to receive pulleys. The outlet is of steel (non breakable), and is properly drilled for connection bolts. Inlets of stream line design are provided to effect an easy entrance of air into fan. This illustrates only one of the many refinements of design on this fan.

National Sirocco Fans are produced in a range of sizes to efficiently cool and ventilate theatres of large, medium and small seating capacity. WRITE FOR COMPLETE DETAILS, PRICES AND TERMS ON ALL SIZES.

Our Ventilating Experts are Always Ready to Assist You in the Solution of Your Air Conditioning Problems. Consult Your Nearest National Branch.

## A Complete, Compact, Economical Theatre Air-Washing Machine

You can now transform your theatre into a cool, comfortable and health. ful place amusement, and keep it that way. You can make the atmosphere in your thefreshing as the cool breeze from the ocean.
And don't
think your
patrons
won't know
it. You'll it. Y hear com ments the first night. "My,



the first night. "My, but it's comfort. Thate to go out in the heat." "Some difference now in the air." "Feels like a spring day just after the rain." It's the washing, humidifying and refreshing of the air by the Sirocco Air Washer plus the splendid circulation of it by the Sirocco Fan that makes the difference. There is no excessive heat, no odors, no dust nor dirt, no "mucky" atmosphere (caused by too much moisture) that leaves a depressing feeling. Just plain comfort that can only come from properly designed, correctly manufactured and dependable operating equipment such as the Sirocco Air Washer and Sirocco Fan. The Sirocco Air Washer for theatres and Theatre Fan can be installed in any theatre, new or old, large or small, in a remarkably short time. No costly alterations are required. Both the Sirocco Air Washer and Theatre Fan are made by the American Blower Corporation, for over 49 years a maker of quality products and a leader in the scientific design and manufacture of air handling equipment—electric ventilating and air washing.

Complete engineering data and prices will be given gladly

Complete engineering data and prices will be given gladly on request. Ask any National salesman or write for details.

#### HYDRAULIC CONTROLLED VARIABLE SPEED DRIVE



The Horton Manufacturing Company, who gave to the me-chanical field its first varia-ble speed pul-ley mechanism,

ley mechanism,
n o w presents
the first multibelt hydraulic
controlled variable s p e e d
drive, which at
t h e option
of the user,
m a y b e
m a n u ally
c o n trolled
or l o c k e d
a n d fixedly
c o n verted and fixedly
c on verted
into a constant speed
tight pulley
drive. The

new drive, the last word in si-lence, was developed to meet the exacting demands of sound equipped theatres for quiet and for assurance against in-SILENCE SUPREME

SILENCE SUPREME

SUPRE

are superior to anything known to mechanical science. Speed changes can be instantly effected by operating the distantly located oil control which forces oil to or withdraws it from a sturdy oil piston on hub through which power is applied to or diverted from the driving connections. The blower speed increases or decreases in exact sympathy with the amount of pressure exerted or withdrawn as registered on a pressure gauge attached to the oil control. The free use of compound leverages materially reduces the amount of hydraulic pressure required and thereby greatly reduces possibility of line leak. The dual drive gives to the theatre owner the assurance which he has long wanted against utter helplessness in the event of damage to hydraulic control or the variable speed mechanism controlling the blower. If anything goes wrong with the drive or the control, merely hand move the shifting collar to give any speed wanted and fasten it to the shaft by drawing down only one set screw in collar—repeat when a different speed is wanted; or to convert into a constant speed tight pulley drive, back up the 4 driving connection set screws, remove springs, press shifting collar against hub, re-tighten the set screws and draw one only set screw, in shifting collar tight on to the shaft. With the collar against the hub and set screws re-tightened the drive can be operated indefinitely at constant speed while repairs are being made. No other drives embody similar protection. Aside from giving easy starting and full control over air volume, the saving in power cost when operating at reduced speeds quickly liquidates the initial cost and constitutes the equivalent of a substantial monthly income on the investment. In the end the drive costs nothing.

Type "F" Horton Hydraulic Controlled Multi-Belt Variable Speed Drive complete for operation on Sirocco No. 100 or similar protection.

Copper tubing for remote hydraulic oil control extra at 14c per foot.

WE HAVE A HORTON DRIVE FOR EVERY RE-QUIREMENT-WRITE OR ASK THE NATIONAL SALES-MAN FOR DETAILS AND PRICES.

Liberty Junior No. 15 Music Stand



#### **Telechron Time for Accuracy**



Modern theatre operation, with its 20th century speed and action, demands accuracy and dependability of time. Natural enough,

Ask the National salesman for prices on other models of chrons — there are many to select from at varied prices.



MODERN THEATRE SEATING

> From period rate designs to the inexpensive veneer chairs, National can supply every seating require-

ment with a careful regard for the acoustics as well as ar-

tistic value of graceful proportions and pleasing decora-tions. Moreover the beauty of the design is made practical and enduring through careful attention to construction. The standards of unbreak-

able Bessemer steel or beautifully molded semi-steel are finished with a rich, smooth enamel. Black is the standard color, but gray, green, brown or maroon are also obtainable. Wooden construction is of 5 to 7 laminations of fine veneer; practically any finish is obtainable, but if none is specified, birch mahogany will be furnished. Upholstered models offer a wide choice of attractive fabrics — velours, tapestries, plush and real or imitation leather in an endless variety of color combinations. Arm rests and chair backs are correctly designed to provide proper support and rest-ful comfort, and the trouble-proof ball and socket hinges operate smoothly and wear forever. Chairs are from 18 to 22 inches wide and are usually installed 28 to 32 inches from back to back. All installation problems will be carefully worked out without charge by our seating specialists. If you contemplate reseating — communicate with YOUR NEAREST BRANCH who will advise you correctly without obligation. A full line of beautiful samples are on display

at all National Stores.

Write for Complete Seating Catalog

#### SHINO MITTEN DUSTERS




Made of soft, fluffy yarn—chemically prepared to absorb the dust and polish the surface. No danger of scratching. Fine for piano, organ or the opera chairs. Fits on the hand like a glove. A necessity in every theatre. Each

#### Aislelites

The "Aislelite" is made of strong metal finished on the outside in any finish desired. The inside enameled pure white for greatest reflection. Porcelain receptacle for 10-watt, S-14 sign lamp. The glass window is made of double strength corrugated diffusing glass, fixed so that no dust can accumulate inside of the Aislelite. Guaranteed as to workmanship and material. Nothing to get out of order. Nothing to be repaired. Price each SPECIAL DISCOUNTS FOR QUANTITY LOTS

#### Tex-Rope Drives for Fans



The Texrope
Drive consists
simply of drivi n g a n d
driven sheaves
grooved for
two or more
belts of trapezoidal crosssection. The
power is transmitted by the
wedging consection. In a power is transmitted by the wedging contact between these Texrope belts and the V-shaped over the V-shaped little attention.
Silent always.
Multiple belts
of high overload capacity
insure coninsure continuity of operation if one
or two fail.
Operates well
in dusty or
moist locations. Economical, Exon hearings is

tensive tests prove high efficiency. Pressure on bearings is unusually low. Reverses as easily as an induction motor. Operates in any position. Slight adjustment takes up stretch.

#### STOCK, STANDARD AND SPECIAL RATINGS:

STOCK, STANDARD AND SPECIAL RATINGS:

Stock Drives: For immediate shipment, can be readily selected and ordered from the Tex-Book (general catalog and price book) which lists all popular motor ratings from 2 H. P. to 100 H. P. There are 64 to 83 different ratios for each rating so that practically any speed reduction or increase can be had within the range of 1:1 to 7:1 ratios. The large number of ratings available from stock were made possible by adopting a series of motor sheaves having pitch diameters with close increments. These motor sheaves are used in connection with driven sheaves having larger pitch diameter increments, making it possible to use any one of the standard motor sheaves in connection with one of the driven sheaves, thereby reducing the number of sheaves to make up a great variety of ratios. These sheaves have varying numbers of grooves to suit various horsepower ratings. Any standard shaft diameter can be accommodated by using stock bushings which can be readily inserted or removed if necessary. These are securely held in position making almost an integral part of the sheave or pulley.

Standard Drives: Not in stock, are listed in the Tex-Book Catalog from 50 H. P. to 300 H. P. in all popular motor ratings. These command early shipment since patterns are on hand and standard drawings are already complete.

Special Drives: Include large or special ratings and drives to suit special conditions.

There is a Tex-Rope Drive to meet every need or condition. Ask the National Salesman for information and prices.



#### Makes Loose Chairs Solid

FIRMASTONE is a quick-setting, chemically prepared cement, which, after being melted and poured into the hole around the inverted bolt, will set within ten minutes to a strength and hardness that will solve your loose chair problems. Expansion shells crumble the concrete and enlarge the hole. New concrete will not adhere to old concrete. So it is useless to try to fill the holes or patch the concrete. It is a simple task for any one to use FIRMASTONE. Just take out the old metal fastening and place a bolt in the hole upside down. Pour the melted FIRMASTONE into the hole around the bolt. Allow ten minutes for the material to set, tighten the nut on the bolt and your chairs will be as firm as the day they were installed. FIRMASTONE is sold in twelve-pound containers which also includes a small portable stove, a can of heat and full directions for its use. Frice, 12-pound container.

#### Page Belting Leather Mats



Page Mats give a safe, clean, noiseless, comfortable walking surface for all seasons of the year. They are made from belting leather — the strongest, toughest leather known. It is far superior to sole leather for this purpose. Made in convenient sections to fit the space. They always le fiat. Never curl or wrinkfe and always keep their shape. No section need be too heavy for easy handling when roiled up and occupies small storage space. Page Mats solve the problem for heavy traffic and protection against unsightly floors in wet weather. They do not get slippery like a metal or rubber mat. Even on snowy days the leather presents a sure-footed walking surface. In damp or rainy weather slipping is absolutely prevented as the shoe strikes against the edge of leather. No curled up corners to cause tripping. Dust and dirt does not stay on the surface of the Page Belting Leather Mats. It sifts through the mat to the floor where it is easily brushed up when the mat is rolled up. Beating and shaking are unnecessary because the leather never absorbs any of the dust and dirt. Walking does not disintegrate the fiber that is so frequently seen in jute or straw mats. A Page Runner can be rolled up with the foot. Page Mats dry very quickly, and do not discolor any kind of floor. They are in keeping with the costly and gorgeous materials which are used to beautify entrances and lobbles of modern theatres. Write

#### Prometheus Organ Loft Heater



An organ chamber must be maintained at exactly the proper temperature in order that the organ will remain in tune. Organ pipes are tuned at the factory at a temperature of approximately a factory at a temperature of approximately of agrees, and it is therefore essential that the operating temperature of these pipes be maintained at that point. Any change in temperature will affect the pitch. This temperature can best be maintain ed through the use of electric heat. The temperature without any attention, as the heaters will be shut off automatically as soon as this temperature is reached, thereby effecting a large economy in current consumption. There will be no danger from overheating which is just as detrimental to the organ as chilling. The Frometheus Heavy Duty Heater is made of cast iron throughout, in aluminum finish. Possibility of mechanical damage is eliminated due to the substantial and durable construction of the heater. The main consideration in its design has been continuous operation without the necessity of frequent inspection. The particular feature of note in connection with the Prometheus Heater is the fact that no part of, the heater heats to a red temperature. This insures that the air will not be dried out and that glue joints in the wood-work will not open. More important still is the fact that this construction eliminates the fire hazard, which is always present if a red hot element is used. The life of the heating element is greatly increased because of the low temperature at which it open. More important still is the fact that this construction eliminates the fire hazard, which is always present if a red hot element is used. The life of the heating element is greatly increased because of the low temperature at which it open. More important still is the fact that this construction eliminates the fire hazard, which is always present if a red hot element is used. The life of the heating element is greatly increased because of the low temperature at which it open. More important still is the

			2	PRICES				
No.	331—1000 switch	wati	heater	only-equipped	with	3	heat	340.00
No.	332-2000	watt	heater	only-equipped	with	3	heat	
	335-5000	watt	heater	only-equipped	with	3	heat	

# Big Helps to Better Sound Houses

#### **Balsam-Wool to Correct Faulty Sound Conditions**



Balsam-Wool Acoustical Blanket is being used by motion picture theaters everywhere to correct acoustics for the use of talkies. It provides an inexpensive, easy way to insure good results and maintain capacity audiences. In most cases it is wise to employ an acoustical engineer. But the cost is sometimes prohibitive and satisfactory results can be obtained if instructions we supply are followed. Figures furnished by the U.S. Bureau of Standards show a very high coefficient of sound absorption of Balsam-Wool Acoustical Blanket tested by the reverberation method. Balsam-Wool Acoustical Blanket is the most efficient commercial sound absorbent for use in motion picture theaters. It is fire-safe, sanitary, vermin-proof and durable. Following prices are f.o.b. cars at delivery point. Where shipments are made by express. allowance for freight will apply. NO ORDERS ACCEPTED FOR LESS QUANTITY THAN FULL ROLLS.

One-inch thickness, 125 square feet to roll, 34-inch width. per 100 square feet One-half inch thickness, 250

square yards to the roll, 34-inch width, per 1000 sq. per ft.



# SERVICE

Any provision for better sound distribution must take into account the necessity sound resisting carpeting of floors and aisles. So good good carpets, too, have added another utilitarian need to their obvious appeal of luxury and beauty. Nathco carpets are through and through theatre carpets-in

exclusive design, durability and original economy. A wide variety of colors and patterns, in several different qualities, are constantly kept in stock at central warehouses for immediate delivery to any theatre. . . A time and money saving service that the exhibitor appreciates as being obtainable nowhere else. Carpeting with true economy depends to a great extent on skillful installation. Aisles, sloping floors, balcony contours and irregularities present special problems that only carpeting experts familiar with theatre needs can solve without actual wastes that are always unnecessary and frequently excessive. Every National carpeting job is supervised by an installation expert. . . Another big reason why National is your logical purchasing source. GET A NATIONAL ESTIMATE BEFORE YOU BUY THEATRE CARPET.

# (NATHCO)

In addition to its superior acoustical properties, Nathco Auditec bears the exclusive distinction of being available in six attractive solid colors—green, sand, red, gold, magenta and old rose. It is also furnished in panels with beautiful stencil designs in combination of four colors to match carpets, draperies and other decorations of the theatre. It is at this time the only high grade, low cost material that combines the best in acoustical absorption with attractive decorative effect. Its price is within the means of every theatre, large or small. Nathco Auditec is furnished in the following widths: 25", 34", 69" and 105". The 25" and 34" are put up in 25-yard rolls, the 69" and 105" in 15-yard rolls. Nathco Auditec is fire-proofed and will pass the most rigid fire tests. Furnished in special Nathco exclusive design, stenciled panels at following prices: f. o. b. Milwaukee, Wis.

Design No. 5—four-color pattern with natural sand background and solid color border, per square foot

foot

Design No. 100 — four-color center design on natural sand background with colored border, per square

20c

25c

**Design No. 304** — four-color modernistic allover design with solid color border, per square foot 30c PRICES PLAIN MATERIAL IN PANELS, CUT
TO SIZE
Natural sand

PRICES PLAIN MA-TERIAL IN BULK ROLL LOTS Natural sand color, per square foot color, per square foot

Other standard colors, per square foot Other standard colors, per square foot Gilded mouldings for panels, per running foot...... Unfinished moulding for panels, per running foot.

Sure-Fit Slip-On Seat Covers

Your theater equipped with Sure-Fit Slip Covers takes on that cool, comfortable appearance that attracts people and makes them regular patrons. They improve acoustic qualities of your theater, largely eliminating rumbling echoes and prevent seats acting as sounding boards. The clean, sanitary feel of Sure-Fit Slip Covers instantly adjusts patrons to a gala mood that contributes the maximum enjoyment from your entertainment. You can have Sure-Fit Slip Covers in a variety of color combinations and patterns to harmonize with your theater decorations. They make the house impressively attractive to your patrons. Sure-Fit Slip Covers protect expensive upholstery during hot summer weather and prevent patrons' clothes from becom

holstery during hot summer weather and prevent patrons' clothes from becoming soiled and sticking to the seats. Bright, attractive colors—that clean, sanitary feel—and what is even more important, the elimination of echoing and rumbling—Sure-Fit Slip Covers supply all of these and make your theater the one to hang out the S. R. O. sign most often. Every theater owner knows that the advent of talking pictures raised a serious problem in acoustics. Echoing and rumbling made "talkies" less satisfactory in many theaters, because the backs of seats set up a reverberation of sound waves. Thorough investigation and experiment showed that Sure-Fit Slip Covers prevent seats from acting as sounding boards, eliminating this reverberation to a remarkable degree. When you consider the attractiveness and the clean, cool, sanitary effect of freshly laundered seat covers—and they launder easily—you will appreciate the tremendous drawing card Sure-Fit Seat Covers can be for your theater. Finest "A" Quality washable, sun and tub proof fabric, made-to-measure, at following low prices—Lots of 500 sets (seat and back), per set \$1.00;



# A Clean Theatre Invites More Profit

Ea.

#### Ash-Away Smoke Stands



The Ash-Away permits one patron to smoke without giving offense to others. Self-cleaning, odorless and sanitary. Ashes, stubs, matches vanish through a tiny trap door at a touch of the button. A new desk model with non-staining porcelain enamel tray makes its bow this season. The many new models and colors will go with every plan of decoration. Needed in every theatre rest room.

No. 20. Empire Model. The finest of all Ash-Aways. A plated silver toned, rustproof Cadmium finish, with weighted base and fluted column. Easily carried about, yet difficult to upset. Weighs 10 pounds packed, stands 24 inches high. Price, f. o. b. \$750 factory

HOUDINI Desk Model

A suggestion for "Gift Night" prizes. Finished in non - sta. non - unburning, unburn-able porcelain

able porcelain enamel. The base unscrews for em p t ying. Height is 3½ inches, diameter of base 4 inches, and weight packed is 12 ounces. Color selection as follows:
Grenadier red and black, ck, Alice blue and black, spid and black, spid snew heavy gold bronze Many Other Mod-els to select from —Ask for Circular

—Ask to.

apple green and
apple green and black, orchaack, Per dozen... and black, Alice blue and lack, orchid and black, gold KEEP YOUR HOUSE INVITING WITH

#### A National Super-Service Cleaner



duty. Vacuum duty.
Vacuum cleaning is the only practicable and satisfactory way of cleaning. It goes far beyond all other methods of cleaning and is more sanitary.

BIG VALUE AT THESE PRICES:

The "Standard" Equipment carries smaller sized equipment more adaptable for lighter work. Price, f. o. b. Toledo, Ohio

6000

Included with each unit: Fifty feet strong rubber covered extension cord sufficient to cover area of 100 feet from any outlet; floor tool, 12 in., with renewable shoes; carpet tool, 9 in.; wall brush, fits on hose or on long tube handle; flexible hose 1½ in. x 9 ft.; tube handle, double bend, 1½ in. x 52 in.; short tube, 1½ in. x 5 in., to attach any tool to the hose; 2 bags, need not stop cleaning to empty one bag.

#### A "Grand" Theatre Sweeper



The "Grand" has 20% greater sweeping capacity than the regular size, being 2 inches longer or 17 inches over-all, and built heavier to stand hard service—a decided increase in structural strength has been added recently. Case of Seal Brown Birch Veneer. Japanned fittings. "Cyco" Ball Bearings, "Hi-Lo" Brush Control, Rubber Corner Cushions and best quality brush. Both pans dump at one time. Net weight with handle about 7% pounds.

An Efficient Metal Polish



Kwyk Metal Polish is a very effective metal polish which is especially desirable for use in theatres inasmuch as it is not inflammable and there is no danger of fire through combustion of polishing rags. This polish is a heavy cream polish and does not settle or require continuous shaking. On account of its make-up, it is very economical, as one gallon of Kwyk will do as much work as several gallons of benzine polish. Put up in one-gallon cans.

Per gallon.....

National Stores Supply Every Need for Sanitation in the Theatre.

#### Handy Midget Cleaner



close quarters. Does a thorough Does a thorough cleaning, quickly and easily. By the ordinary way of cleaning without Presto Jr. it is impossible to get all the dirt and dust out of the fabric. Theatre owners will find the endless labor of interior cleaning elimicleaning

nated when using this inexpensive, handy, cleaner.

#### DRAIN PIPE CLEANER

Pipe Klen-zo is a very effective product for removing organic matter from drain pipes. It comes packed 2 dozen cans to the case and every theatre should have a case of this on hand for emergencies. The occasional use of it in lavatories, sinks, etc., to keep the pipes clean will oftentimes prevent stoppages. Packed in 1-pound cans. Price per case of 1 dozen cans, \$5.00;



# First Aid A SPECIALLY MADE KIT FOR THEATRES The Legal First Aid Cabinet meets essential requirements of every state with regulations relative to First Aid equipment for commercial use. It is also used in large theatres and for general protection in places of public entertainment. Contains over 60 articles covering practically every emergency need, all contained in a metal cabinet, 14% "x18" with straps for wall hanging.

#### **Superior Quality Liquid Soap** and Soap Dispensers

Even more important than the proper dispensing of liquid soap is the quality of the soap itself. We highly recommend the present uniformly high quality of our standardized brands of liquid soap. This soap is made of pure vegetable oils under the constant surveillance of experienced men, and the finished produce is tested, aged, treated and retested before it is allowed to leave the factory. The process of manufacture is one of the main features which makes it uniform in grade and superior in quality. Supplied in 55-gallon drums at \$1.35 per gallon; 35-gallon drums at \$1.35 per gallon; 18-gallon drums at \$1.50 per gallon; 5-gallon cans at \$1.65 per gallon, and \$1.50 per gallon cans at \$1.65 per gallon, and



The No. 1 Tilting Soap Dispenser is il-lustrated. It is Lustrated. It is a very popular dispenser for use in the average theatre was h room. Other models are also available for those who prefer individual dispensers. They are strong, substantial and good looking fixtures with a strong plunger to prevent waste. Nos. 1, 2, 3, 51 or 50 Tilting Soap Dispensers,



#### **Myritol Drip Fluid**

#### **Nysair Deodorants**

CRYSTALS IN SHAKER CAN BLOCK DEODORIZERS



Fresh, clean, and wholesome, the aroma of Nysair quickly overcomes disagreeable odors. It is made in either cake or crystal form and is placed in an attractive metal wall fixture which requires no attention except occasional refilling. Both cakes and crystals last many weeks. Nysair is made in three different odors—American Beauty, Florentine, and Cedar. Packed 4 cakes and one oxidized round holder to a set. American Beauty, per set \$10; Florentine, per set \$9.00; cedar, per \$9.00; cedar, per



Special, heavy white enamel holders, instead of oxidized, each, \$2.00.

#### **Nysair Fragrancies**

Fragrancies are crystals made of the same material as Nysair but put up in a shaker can for distributing around toilet rooms, cellars, closets, or any place where there is an offensive odor. Available in three popular odors—American Beauty, New Mown Hay and Cedar. Prices as follows: American Beauty, per can \$2.00; New Mown Hay, per can \$1.50; Cedar, per can.

#### "Wyandotte" - Approved Cleaner



Wyandotte Detergent is

wyandotte Detergent is the most economical and efficient Cleaning Material on the market for cleaning Painted Surfaces, Marble and Tile Floors of every description. Its Detergent Properties consist of a very mild Alkali, possessing unusual solvent properties, absolutely free from any such harmful ingredients as Caustic Soda, Lye or Acid. Its Abrasive Properties consist of a very light, with suspends itself in water. It does not cut into or wear away the smoothly finished surfaces of rubber tiling or the delicately polished marble, tile or enameled surfaces as do the sharp edged or angular particles of a ground-up mineral. It contains just lubrication enough so the mop or brush will slip easily; it is not necessary to use Soap or Soap Powder of any description with it in order to produce a suds. Wyandotte Detergent is manufactured expressly for the cleaning felt want for a detergent of this description. Wyandotte Detergent is put up in barrels containing 250 lbs., and in 75-lb. kegs. Full directions in top of each package.

Ask the National salesman or write for prices on "Wyandotte" delivered to your door.

Ask the National salesman or write for prices on "Wyandotte" delivered to your door.

#### A Waterless Cleaner and Spot Remover



#### NATTY UNIFORMS

for Necessary Atmosphere





ASK THE NATIONAL SALESMAN TO SHOW SAM-PLES AND QUOTE PRICES OR WRITE YOUR NEAREST BRANCH FOR FULL INFORMATION.

#### Eveready Flashlights for Ushers



#### All-Purpose Electric Heater

The Focalipse Heater is scientifically designed to control all the heat rays. The improved semispherical shaped element has all the hot wires facing the reflector. The element rides in the approximate focal plane of the reflector. This all goes to insure efficient use of all current consumed and the even distribution of the heat rays over the desired wide area. The Zig-Zag element wires may be seen evenly magnified and covering the entire surface of the reflector by looking into the reflector as one would into a mirror. All heat rays are flooded forward with uniform intensity in a Focalipse Heater. The rays cover effectively, three times the area covered by an ordinary heater. Focalipse Heaters are made with screw type elements. Should occasion require the replacement of an element, the type number of the heater, for which it is required, should be stated when ordering.

Focalipse Heater—standard low base model with eight foot cord and separable attachment plug; 12" reflector, 660 watts, 110-220 volts, price each



\$750

#### All-Steel Check Room Racks

FOR THE CONVENIENCE OF YOUR PATRONS



4-Shelf Hanger Type as illustrated. Individual numbered garment hangers and hat compartments. Can be used with single or duplicate check systems. Fastest of all hanger racks. Eight hangers per foot. Price per

Can also be had with 10 hangers per foot. Price hanger

Six-foot portable racks, capacity 48 hats and Price complete with castors...

2-Shelf Hanger Type. Same construction as four-shelf type. For use with De Saussure Duplicate Checking System, or duplicate paper checks. Sturdy, fast. Eight hangers per foot. Price per hanger....

Price per Can also be had with 10 hangers per foot. 6' Portable rack. Capacity 48 hats and coats. Price, plete with castors.

Extra Checks. Single Brass, Aluminum or Fibre Checks,

DeSaussure Duplicate Checking System, per 100 sets of discs and clips. Duplicate Paper Checks, per 1,000 sets......\$5.00

#### PROMPT AND SATISFACTORY SERVICE - THAT'S THE NATIONAL WAY

#### Sand-Urns for Theatres

medallion and



No. 3000 Flaring Sandurn

11/11/

No. FJ-100—
Brenkert Brenoeraph, Jr. complete as above illustrated with lamphousing and stand, effect he ld er, universal electric motor with variable speed control with fleeoycloud effect complete in casing, 10

in casing, 10 connecting cord h plug and ch, any focus

# Accessories to Correct Atmosphere

Junior

Brenograph

Some of the most beautiful effects used in theatres today are obtained by means of light alone. The most appealing of these lighting effects, however, are those in which the element of motion is employed. Brenograph Junior places animated scenic effects in your theatre at a minimum cost, because it was expressly designed to do just this kind of work. By means of interchangeable discs on which the effect scenes are photographed, numer erous light effects can be reproduced easily and realistically in rain, snow, clouds, ocean waves, falling flowers, flying birds, country panoramas, flying aeroplanes, etc. A canopy of clouds moving across a field of twinkling stars is used in the atmospheric theatre to complete the illusion that the pictures are being viewed beneath nocturnal skies. Back stage, also, scenic-moving effects of all kinds can be projected from overhead, or from the wings, with a suitable back drop. In the small theatre, the back stage effects can be controlled from the projection room. Brenograph Junior with its motor driven effects and automatic operation is ideal for these purposes. short pedestal as shown on the left, pies but small space. It may easily

when equipped with a short pedestal as shown on the left. Brenograph Junior occupies but small space. It may easily be concealed in a recess or compartment so as to hide the origin of the animated scenic effects from the theatre's patrons, and further increase their mystification and strengthen their illusion. Brenograph Junior is especially adapted to short range work for covering large areas. One, two or four units are used depending on shape and size of area to be covered.

#### Moving Scenic and Color Effects

for use with "BRENOGRAPH JUNIOR"


	_ Disc only ready to insert in casing	
Cat. N	vo.	Drice
JE 1	To. Bliggard Sook—hand colored	DAE OO
JE 2		
JE 6	Descending clouds, for imaginary ascension trip	20.00
JE 8	Flying Angels—hand colored	60.00
JE 9	Flying Birds—not colored—	45.00
JE10	Fixing Butternies—hand colored	70 00
JE11	Failing Flags—hand colored	70 00
JE12	Fire and smoke effect—hand colored	60.00
JE13	Flames—hand colored	60.00
JE14	Fast moving, dark storm clouds.	50.00
JE15	Slow moving fleecy clouds	50.00
JE17	Moving river	55.00
JE18	Ocean waves	55.00
JE19	Rain ellect	EE 00
JE20	Sand Storm effect—hand colored	50 00
JE21	railing Snow	EO OO
JE22	waterfalls effect—hand colored	55.00
JE24	Flying Bluepirds—hand colored	70 00
JE25	riving rairies	60 00
JE26	Rising bubbles—hand colored	65 00
JE27	Fiving Aeronianes	E0 00
JE28	Falling Roses—hand colored	70.00
JE29	Chinese snow—hand colored.	70.00
		10.00



Brenkert C-14 High Efficiency Spot and Flood Lamp complete as illustrated, with dual focus lens system and quick change device, perfectly balanced lamphouse head with tightening handles, 150 ampere Brenkert super arc lamp with top and bottom carbon adjustments, telescoping control rods and counterbalance mechanism, scale focussing device, prefocus stop collars, heavy gauge framing shutters nickel plated and polished, large diameter iris shutter, six large diameter enclosed color frames with gelatine colors, rear control wheels and color signals, 100 ampere enclosed switch mounted on pedestal, heavy three leg floor base with height adjusting column, asbestos covered cable connections from switch to arc lamp (without rheostat)

Send for a complete catalog of the National Line of Effect Lighting Devices and Accessories for Adding Atmospheric Effect to the Theatre. Ask the National Salesman.

#### VALLEN AUTOMATIC SCREEN MODIFIER



The Vallen u t a t 0 c Scree Modifier a prac-tical electrically erated, push button conbutton con-trolled device that defi-finitely solves all screen modifymodifying problems. It can be used with all large size or mam-

moth screens for showing any size of the wide film. It is readily and easily installed, compact, occupying no space beyond the screen frame it embodies. Electrical pushbutton stations can be conveniently located for operation from the stage or projection room. Its operation is noiseless and instantaneus. A metal frame contains the entire driving mechanism. A synchronized positive chain drive moves the flameproof velour smoothly and evenly from the sides and top, contracting or expanding the screening surface at the will of the operator. The modifier is instantly adjusted to the film size simply by pushing a button. The Vallen Automatic Screen Modifier can be furnished for complete automatic operation. Electrical driving unit consists of a Vallen silent unit control with remote control station and mechanical travel limit switch.

WRITE, GIVING SIZE OF SCREEN AND SIDE AND TOP DIMENSIONS OF MODIFICATION DESIRED. PRICES ON APPLICATION.

#### CURTAIN CONTROL TO FLY

The Vallen
Curtain Control
to Fly is attached to
Vallen Noiseless All-Steel
Safety Track less All-Steet
Safety Track
by means of
brackets; these
brackets being
a part of the
outfit. This
t y pe Vallen
Control must
be used conjunctively with
Vallen Noiseless All-Steet
Safety Track.
This unit is
compact, practical and safe;
Vallen Guaranteed! Control
to Fly and
Track "fly"
simultane Track "fly" simultaneously. As shown on eut, a cable extends upward from the Control. This is a steel cable which attaches to an eye on



which attaches to an eye on one of the brackets and extends up to the grid, over a sheave, and down to the counterweight system. If there is no counterweight system and track is suspended on a dead-line system, this cable would be anchored to the ceiling or grid,—the purpose of the cable being to balance the Control. Dimensions: Length of Control, over all, parallel with track, is 19 in. Width, or space required to "fly," 7½ in. Distance from the bottom of track to bottom of Control is 27½ in. Weight of Control, including brackets, approximates ninety pounds. The standard "Control to Fly" is furnished for operation on 110-volt, 60 cycles, one phase, A. C.; this voltage should be employed wherever available. Prices — F. O. B.

Akron, Ohio. Control to Fly, standard.

Control to Fly, special, with start, stop, or reverse feature, \$200.00. Vallen Noiseless All-Steel Safety Track, for conjunctive use, per running foot, \$2.85.



### for Satisfactory Results

Special Walker Redwood non-warping frames, per square foot, 10c.

TRAVELTROL





#### NATIONAL THEATRE-LAC

PAINT IN MORNING - DRY BY SHOW TIME NATIONAL heatre-Lac IGHT GRAY Al Thoutre Sup

NATIONAL THE ATRE-LAC is an entirely new type of finish. Not Paint, Not Varnish, but a practical brushing Lacquer for woodwork, floors, walls, furniture, chairs, tables, opera

veneers, stage settings, dance halls, etc. It produces a wear-proof surface that can be cleaned repeatedly without injury, is easily applied and dries in 30 minutes. This finish is especially adapted for maintenance work in Motion Picture Theatres where time is a factor. No delay, loss or worrry. Seats, lobby and restroom furniture, floors (wood or cement) can be finished in the morning and the theatre opened at noon. There is a large assortment of attractive colors for walls, ceilings, woodwork, also transparent oak, walnut and ma-

hogany for the furniture, etc. Also made in black for metal parts of chairs, and gold and aluminum for radiators and ornamental work. On average surfaces it has a covering capacity of approximately 400 square feet per gallon, one coat. The Clear covers about 500 square feet per gallon, one coat, and on cement about 300 square feet per gallon, one coat. Due to the different types of cement surfaces the covering varies even more than on wood. NATIONAL THEATRE-LAC weighs 101/2 lbs. to the gallon and is packed six 1-gallon cans to the case and 24-quart cans to the case. The Interstate Commerce Commission's classification on THEATRE-LAC is I. C. C. No. 2 packed in cans. I. C. C. No. 3 in barrels.

#### National Theatre-Lac

Quart cans, each.... Gallon cans, each. 5.00 5-Gallon Cans, per gal... 4.10 Barrels, per gal ... ... 3.90

Nation	al The	atre_L	ac Thi	nner
Quart	cans,	each		80.80
Gallon	cans,	each	*******	2.75
5-Gallo	n Car	is, per	gal	2.60

#### **NATIONAL SCREEN BRUSH**



Neededin every theatre to clean the porous sound screens and preserve their efficiency. Made from the highest grade of goats' hair, and will clean the screen without injuring the surface. Comeste the pole.

#### NATIONAL SCREEN LITE

(NOT SUITABLE FOR POROUS SOUND SCREENS)

Repaint your old screen with SCREENLITE and improve your projection. Screenlite is specially prepared for us; made of high quality material; easily applied and lasting. Two coats applied with a small pliable brush and you have a new screen surface. A quart is sufficient for small screens; larger sheets take more. Put up in cans—three sizes.

1-Quart Cans

1/2-Gallon Cana


1-Gallon Cans

LAMP CHANGER



Needed in every theatre. Saves time and hard work in changing or replacing ceiling, sign and cove lights. Price, each, with 5½ ft. pole.

#### Track and Basket Method for **Handling Sound Horns**



The Vallen Track and Basket Method provides a very simple, accurate method for moving sound horns off-stage, particularly where space on the stage is at a premium. This Equipment is built to specification and consists of a double All-Steel Track which extends the full length of stage, and baskets which carry the horns. The basket consists of an iron frame into which horn fits and provisions are made so that baskets can be flared or tilted at any desired angle, right or left, up or down. Two trolleys are provided for carrying each basket. Horns are drawn off-stage, one to one side, one to the other side,— or as desired. Features of the system are the ease with which installation is made and horns tilted and anchored in desired position,—together with the fact that horns are moved back on stage to their exact original positions. Everything about the outfit is furnished complete, including hand line for operation. Double All-Steel Horn Track, per foot, \$5.00. Horn Baskets, complete with trolleys, f. o. b. Akron, O., each

#### LIGHTING E WILLIAM S

DESIGNED EXPRESSLY for THEATRES

Lighting fixtures supplied through National Service are designed by leading illuminating engineers who have studied the individual requirements of theatres. are characterized by their

reasonable price and their originality of design. Their disdesign. Their distinctiveness of design, excellence in workmanship and construction and their fine regard for the best possible il-

luminating proper-ties make them outstandingly the finest fixtures available for theatre use. The model illustrated is illustrative of the modern trend in lighting fixture design. Whether you order either from the practically limitless range of stock models or whether

you contemplate the use of fixtures specially created for your house, the National line offers you the most for your money. LET NATIONAL ASSIST YOU WITH YOUR FIXTURE PROBLEM. COMPLETE CATALOGS SENT PROMPTLY ON REQUEST.

#### Aristocrat Overhead Door Holder




The Aristocrat Overhead Door Holder and Shock Absorber represents the "last word in a scientific Device for practical equipment for Theatre entrance or exit doors." The doorman or usher can by a simple twist of the locking handle instantly lock each door open so that the first person passing through the door automatically locks it open for the exodus of the crowd. The Aristocrat can be instantly unlocked by simply pulling the handle down and turning same slightly, thereby permitting the door to close. Operates at the top of entrance doors. Shock Absorber protects hinges and check arms, — built of cast bronze with steel bearings, also made in malleable iron, rust proof and plated for heavy duty or extreme conditions. Splendid equipment for doors equipped with "in the floor checks." Applicable to entrance doors opening out 90 to 125 degrees to comply with fire ordinances and overcomes accident liability. Also manufactured without locking device,

Size	Width of Doors	Maroon Duco	Bronze Plated	Cast Bronze
01 02	28 inches and wider		\$10.00 10.00	\$12.00 12.00

#### G-J Semi-Automatic Door Holder

A Door Holder and Bumper of sturdy bronze construction.
Semi-automatic in its operation and serves as a Door Holder or Bumper at the will of the operator. Has an encased brass plunger which absorbs the shock of a slamming door. The extension on bottom of hook acts as a strike



on bottom of hook acts as a strike plate. Simple in opera-foolproof tion, with tion, foolproof with no parts to get out of order or to be tampered with. Sixinch mounting stand can be supplied for mounting Door Holder on installasuch tions where door swings door swings over a step. Type F-9 for installations in concrete, has ½ inch steel stud cast in Holder and double expansion shield. Type F-9, cast bronze, brushed or polished fin-Price

00

Write or ask the National Salesman for information on any type of door holding device or panic bolt you require.

Make National Your Regular Supply Source for Everything You Require - If It's Used In or Around the Theatre, We can Supply and

SAVE YOU MONEY

#### Chicago Theatre-Seating Bolts





nomical and Permanent Seat Fastening Job

Packed 100 to a box. Nut not assembled on bolt but packed in separate container in each box. Sizes shown below carried in stock for immediate shipment. Supplied with either short  $(\frac{\pi}{16})$  lead sleeve or long  $(\frac{\pi}{36})$  lead sleeve.

Code	Size	Sleeve	%" Sleeve	Weight per C
119 <b>T</b>	4 x1 4	\$3.20	\$4.00	5 ½ #
120 <b>T</b>	4 x1 ½	3.48	4.28	6 #
121 <b>T</b>	4 x1 4	3.64	4.44	6 ½ #
122 <b>T</b>	4 x2	3.72	4.52	7 #

Other sizes on application.

#### Paine Expansion Shells Hold Fast



The Paine Expansion Shell used with a carriage or machine bolt is the standard for use in connection for use in connection with anchoring chairs to a concrete floor. When it is necessary to install chairs on heavy carpet or in a poor mix of concrete, we recommend the use




we recommend the use of our ½-inch extension collar with a 3-inch bolt. The use of this collar and an extra long bolt insures a better anchorage for the chairs. The se with Carriage Bolt shells require the use of a ½-inch drill. Both with Machine Bolt types of Expansion Shells as illustrated are furnished complete with bolts and washers assembled, and are always shipped in bulk except when otherwise specified.

Paine Expansion Shells complete with bolts and washers, either type (specify which wanted), price per 100

#### Fin Head Bolts for Chair Repairs

These Fin Head Bolts are made in two sizes, & inch and ¼ inch diameter, varying in lengths. They are made with four fins under a head of standard design, for use in the assembling of chair backs, seats and arms. The bolts are nickel plated, and the following prices are based accordingly:



ie. Length ...... Price per 1000. 1 1/2 7.00 7.70 8.40 Diameter.. per 1000 ... \$8.30 9.80 10.50 11.30 9.00 Standard Packing Unit - Packed in carton with nuts

loose

#### Countersunk Chair Veneer Washers



Our Countersunk Washers or Cup Washers are used in connection with the assembling of chair backs and seats. They are made of 24 Ga. steel and are blued, parkerized, nickel plated, or copper plated, according to order.


Outside Dimen- sion	Counter ter Sunk	Size Bolt	Blued Per 1000	Parkerized Per 1000	Nickel Plated Per 1000	Bulk Price 10,000 or more
<u>81</u>	₹.	1/4	<b>\$5.00</b>	\$5.50	\$7.50	10% less than cartons

Standard Packing Units - 1000 in each carton.

# Built for Better Projection

Projectors That Meet Every Requirement of the Modern Theatre

The present rigid mechanical requirements of talking picture projection are such that only the best of projectors should be provided in every case. We illustrate here three models that have enjoyed unusual popularity since the advent of sound. For mechanical excellence and precision these projectors have no equal - they are built and guaranteed by responsible manufacturers; serviced and warranted by National.



SPECIFICATIONS: Super Simplex mechanism with sound aperture and picture centering device; new type oiling system. rear shutter, speed indicator, eyeshield and threading and framing lamp; Type R pedestal; tilting device; 18" magazines; 110 volt a. c. or d. c. motor drive, Hall & Connolly high intensity lamp.

For complete information and prices on all Simplex equipment apply to your nearest National Branch.



SPECIFICATIONS: Equipped with Motiograph Reflecting Arc Lamp, including New Model H. Mechanism, with Horizontal Cylindrical Shutter (2 wing only), 110 volt, 60 cycle A. C. or 110 volt D. C. Motor, Motiograph Reflecting Arc Lamp with Reflector, Condenser, Arc Control, Arc Striker, Pilot Lamp, Carbon Holder, for 8 and 12 m/m carbons and New Light Enclosing Aluminum Telescoping Cone, 100 ampere Switch and Box, Rapid Tilting Device, Foot Pedal Motor

Write for prices and complete information on Motiograph Projectors. There is a model to suit every requirement.



Complete information and prices on request to your nearest National Branch.



# PEERLESS LAMPS FOR PERFECT PROJECTION



The idea underlying the new Peerless Automatic High Intensity Reflector Arc Lamp is to bring the benefits of modern, economical screen illumination to all theatres, and to help every theatre owner to get the greatest amount of illumination on his screen—at a minimum of trouble, expense and operating cost. These are the advantages of Peerless construction: Automatic and instantaneous arc striker. Heat resisting optical glass reflector. Single crank control for all carbon adjustments. A large, roomy and well ventilated lamphouse. Uses a  $9x_{16}^{+}$  cored copper coated carbon and a  $20^{\circ}$ x9 M/M high intensity positive carbon. There are only three moving parts in the positive and negative carbon holder assemblies. Ball thrust bearings throughout. Gears of hardened steel. All moving parts enclosed. Both positive and negative carbon holder assemblies can be removed as a complete unit—in an instant. Arc control automatic and entirely mechanical. Arc control can be removed as one unit, even when the lamp is burning. Positive carbon is continuously rotated and fed. Produces the absolute maximum amount of screen illumination obtainable with an arc lamp and produces it at a minimum operating cost. PEERLESS AUTOMATIC HIGH INTENSITY REFLECTOR ARC LAMP COMPLETE (Less Rheostat) f. o. b. Chicago...

#### The Peerless Reflector Lamp

The Peerless Reflector Arc Lamp has increased the screen brilliancy from two to three times in thousands of smaller theatres throughout the country. Many theatres that required one hundred amperes and more are now securing vastly greater screen illumination with but twenty-five amperes and less and at one-third previous current and carbon costs. This great saving and light increase is made possible in the **Peerless** Reflector Arc Lamp by basically correct principles of construction.

COMPLETE CATALOG AND PRICES ON REQUEST



#### The

# **IransVerteR**

TYPE "M. A." OR MULTIPLE ARC

The M. A. Transverter is designed to operate more than one Arc simultaneously and still maintain a constant potential, each Arc being fed through individual resistance. This type Transverter is especially designed to meet the requirements of theatres using various arcs at different current values. While the efficiency from line to lamp is necessarily lower than that obtained in the type D or Series Arc Transverter, it is regarded as exceptionally efficient and economical in operation. The M. A. or Multiple Arc Transverter covers every requirement from the smallest mirror arc installation to the largest de luxe installation. Wherever proper source of current is important the Transverter is found to fill that need with exactness and maximum ease of operation. Transverters are furnished with complete equipment, ready for quick installation, with the exception of the Motor Starter which is not included on account of the variation of service requirements. These starters are listed separately, Each part of the assembly is the best in design and workmanship.

## TYPE "M. A." SIZES RANGE FROM "20-40" TO "200-400"

This rating means that the generator is designed to carry continuously in amperes the first figure shown and the second amount during the change-over period.

### COMPLETE SPECIFICATIONS AND PRICES ON APPLICATION



Multiple Arc Transverter Type MA 20-40



#### TRANSVERTER GREASE

# A High Grade Lubricant

A carefully prepared and thoroughly tested oil of the proper consistency to use in the delicate mechanisms of all projectors. Use good oil—it pays.

#### Oil for Simplex


Per	Pint	0.20
Per	Quart	.35
Per	Gallon	1.00
Fo	r Power's and Motiogra	ph
Per	Pint	0.25
Per	Quart	.45
Per	Gallon	1.25
1	For Motors - High Grad	

.81.25



# New Developments for Better Projection

#### Bring Your Simplex Projectors Up - to - Date With New Rear Shutters



cause of its position with relation to the lamphouse and aperture, it greatly reduces the heat at the aperature, operating as it does between the light source and the film. In addition to this, the shutter is so designed that it directs a strong blast of cool air over the entire front of the mechanism and particularly into the aperture, so that the cooling effect obtained during its operation reduces the heat at the aperture approximately seventy-five per cent over the older types of equipment. It will be appreciated that this is of utmost importance when projecting sound film because it reaches the sound projection aperture in an undistorted condition. In addition to this tremendous advantage, the shutter blades are vignetted so that a pronounced dissolving effect is obtained while the intermittent movement is in operation and when the cutoff blade passes through the light beam. The shutter construction is shown in illustration. Very little instruction is needed with regard to the new shutter inasmuch as the method to be followed in setting it is exactly the same as that on the old type Simplex.

WE FURNISH RELIEF MECHANISM COMPLETE
AND INSTALL THIS NEW REAR SHUTTER UNIT AT NOMINAL LABOR COST.
Price of complete unit, ready to install, f. o. b. factory, New York

Simplex Lens Aligning Device, complete as illus-trated, ready

**Simplex Lens Aligning Device** 

SIMPLE—ACCURATE—STURDY A new Gen-uine Simplex Part which can be as-sembled and attached in a

attached in a few moments to any Simplex regular mechanism merely by the aid of a screw driver. No drilling or cutting. It aligns the objectives accurately with the position of the silent or sound picture in the aperture when lenses are changed from one focal length to another. The simplest and most efficient device of its kind ever developed. vice of its kind ever developed. To assemble and install merely remove the old lens carriage complete from

the old lens carriage complete from the Simplex mechanism and attach this new device in its stead. It readily accommodates half-size lenses. Note pin which protrudes from lens clamp in illustration. This is a stop pin for use where quick change of lens is desired. By the use of a fixed focus collar, similar to that used with the Super Simplex and which we can supply, lenses may be instantly changed and when once focused will remain so upon being pushed in and clamped in the assembly. Lever marked "F" for seund-on-film position and "D" for sound-on-disk position, so the projectionist always knows in which position the lens mount is set.

#### Strong Super Changeover

A new development by Strong for use on rear shutter projectors such as Super Simplex, Motiograph, R.C.A. and others. Contains same reliable mechanism as the "Five Point" illustrated below. Silent, positive in operation when operated with the Strong Foot Switch shown below. Equipped with automatic cut-off automatic cut - off
— coils can't burn
out. Complete with BX, ready to tach. Price ---

\$4000



# SETTING THE

#### STRONG Foot Switch

The Strong
Treadle Type
Footswitch is a
patented feature
for use with all
automatic changeovers. Housing of
cast aluminum,
mechanism of cast
bronze; all contacts are carbon
on copper. No
more fumbling or
groping—rest
your foot on the
treadle while
waiting for the
cue, then press
down and the
c hange over
is made. Price—

\$1000

#### Strong "5-Point" Changeover

The Strong
"Five - Point"
Changeover "Five - Point"
C hange over
Combines in
ONE DEVICE
all the functions
that Projectionists Demand:
(1) A noiseless
changeover, (2)
An eye shield,
(3) Framing
light, (4) An
automatic fire
shutter finger,
and (5) A film
gate opener. The
device is guargate opener. The device is guar-anteed to per-form all of these functions, with the mechanical changeover and fire shutter de-signed to per-form their work quietly, instan-taneously and efficiently. This novel device was not placed on the market until it had undergone



the market until it had undergone a rigorous test to determine whether it would perform satisfactorily everything that was claimed for it. Suitable for use with either Simplex Regular or Motiograph F Projectors but is not adaptable to Super Simplex or other projectors equipped with rear shutters. Price each, less foot switch, f. o. b. Chicago, for Simplex

#### GOLDE UNILENS MOUNTS

SOLVES THE QUICK CHANGE PROBLEM

FOR SIMPLEX

Approved by S. M. P. E.

Unilens

Mount

Only Price Each

\$2500

Perfect Screen
Results are now
possible by
using the Unilens method of
shifting from
Vitaphone to
Movietone film
and back. Nothing so remarkable has been
offered theatre
owners since
sound made its
advent. The
Unilens method

sound made its
advent. The
Unilens method
is now the standard from coast
to coast. You can't do a 100%
job of mixed projecting without it.

out it.

It Bequires Only Small Investment. You may have the astonishing benefits of the Unilens method for less than the profits of one evening, even if you operate a very small house. Uses one lens. No cumbersome, complicated machinery. Just a quick job of replacing your present lens mount with the Unilens Mount and inserting your present lens, without cutting the front plate nor removing doors.

It Preserves Perfect Alignment. With this marvelous

It Preserves Perfect Alignment. With this marvelous invention sound and silent film of all types align perfectly on the screen. The change is made so quickly that silent and sound film of any kind may be mixed on the same reel and the audience will never know which is which. Just a touch on two small levers located close together is needed. One hand does it. Nothing so miraculously simple yet wholly effective has ever been introduced.

#### **Vital-Tone Superfine Needles**



Vital-Tone Needles have been especially developed for use with all makes of sound-on-disc instruments. It is highly important that these special needles be used because sound records are grooved differently than ordinary phonograph records and may be easily marred through the use of ordinary needles. Vital-Tone Needles eliminate one major element of faulty reproduction. Their points are ground with great precision to meet the requirements of sound record grooves. Get them from any National Branch.

Unilens Mount Complete with E-16 Tension

#### Framing Light Shield



**Batteries and Battery Service** 



Every Willard Battery 18 Worth Every Dollar You Pay for It

Ask for Prices f. o. b. Your Theatre

Type SPW-15-3

Long Life—Even Voltage

The batteries used for sound projection must be free from surface electrical leakage and terminal corrosion. Their electrical performance and mechanical construction must be of the best. They are required to supply definite loads at predetermined end voltages for extended periods of time. The SPW-15-3 is a higher capacity battery capable of supplying the energy for both the "H" and "F" circuits. Each set consists of two batteries connected in series making a 12 volt unit. Combining the "H" and "F" batteries results in simplified switching and fewer connections, consequently reducing the chances of failure. The SPW-15-3 battery has extra heavy plates for long life and even voltage. Willard cypress wood separators are used with perforated rubber sheets. The heavy Willard designed rubber case insures against external electrical leakage and the high sediment space of 1¾" insures against internal "shorting." Either or both of the above are causes of noise in the amplifier circuit. Case dimensions of Type SPW-15-3, 18½"x7½"x10½"; number of plates, 15: ampere hour capacity at 3-hour rate, 126; at 72-hour rate, 176; charging rate in amperes, 15.7. Willard Batteries are approved for use with all leading sound equipments. Willard Service is quickly available at every National Branch Store.

WRITE OR ASK ANY NATIONAL SALESMAN TO TELL YOU ABOUT NATIONAL WILLARD SPW BATTERY SERVICE.



#### Batteries Dry For Sound Pictures

45-VOLT MEDIUM SIZE ROUND CELL

No. 772 is a medium size 45 volt vertical "B" battery. Recommended for sound picture use and self-contained receivers where there is not sufficient space for installing the Large Size Eveready "B" Batteries. Length 8½ inches; width 3½ inches; height 7½ inches; weight 9 lbs. Each

**Hot Shot Batteries** 

For emergency purposes with sound pictures. Recommended for all purposes requiring four or more dry cells in a series. All internal connections are made with soldered copper strips and cells are completely insulated against short circuits. The total voltage is the sum of the voltages of the batteries connected in the series. A multiple connection is used where the current drain is so a single cell is exhausted very quickly. Multiple divide the drain between two or more batteries. Spring binding posts furnished without extra charge when requested. No. 1461, 6-volts, 10%"x 2%"x7½", each





#### **Holdtite Friction Tape**

AN ALL PURPOSE TAPE FOR THEATRE

# Devices for Efficient Film Handling

#### NATIONAL SOUND REEL

A CORRECTLY
DESIGNED, PERFECT.
LY BALANCED
SOUND FILM REEL

A lighter, stronger allsteel reel, designed correctly to meet all requirements of sound film projection. One-piece steel flanges afford utmost accuracy, lighter weight and greater strength. Steel hub is jig assembled to run true—welded to stay true. Drive bushing instantly replaceable when worn—and reel becomes good as when new. Greater clearance; less wear and tear. Tapered sides make smoother guidance for film. Flared rims—no catching and damage to film edges. National Sound Reels make faster work possible with less effort and greater safety. Made in two sizes—11-inch and 15-inch. Prices: 11-inch, 92,50; \$2.50; 15-inch, each...



#### Approved Sound Film Reel



The Type "S" A High Grade Welded Wire Reel

#### **Magazine Light for Simplex**



Light for Simplex only. New—compact—light weight. Permits projectionist to see amount of film in upper magazine with-out opening magazine door. Reel can be ob-served from either side of projector. Complete with 4 ft. baby BX

baby BX and lamp.

#### **Neumade Rewinder**

The Neumade Everwear Rewinder fills the bill for laboratory, exchange, or motion picture house. It is safe—the reel cannot fly off under any conditions. It is quiet in operation. The self-lubricating, noiseless laminated gears mark an epoch in rewinder construction. The rewinder housing is finished with a wear resisting compound that is baked on at the factory. This housing is dustproof. The base is surface ground so that it will not wobble when fastened to the table. We have no hesitancy, therefore, in selling them under an absolute guarantee. They'll last indefinitely—and any part that breaks because of defective workmanship or material will be replaced without charge to the purchaser. Order from your store. Neumade Bench Type complete set with dummy

National store. Rewinder, price,

#### Exceptional Rewinder Values

The Tamco Type "O" Rewinder is made so it can be clamped to table or shelf for quick rewinding. Clamp has 2 inch space and is furnished with heavy thumb screw for positive installation. The frame is well proportioned and will stand hard usage and is made of best materials throughout. The geared end has long well balanced crank handle and shaft is fitted with spring clips to hold reel on—no danger of reels flying off. Small gear is machine-cut steel and the large gear, machine-cut grey iron. Rewinder is nicely finished and is strong and durable. Will hold 15 inch reel.





The Tamco Type
"E" Rewinder is
built for heavy
continuous service, has a quick
acting brake that continuous service, has a quick acting brake that can be operated by the thumb, or a permanent tension can be adjusted by a small thumb nut; the crank handle is well balanced and is attached to a loose crank spindle so a s t o

Type "E"

Every Article Shown in This Catalog is Guaranteed and is a Real Value at Its Price.

#### National Automatic Rewinder



The National GoldE Automatic Rewind was designed especially for better handling of sound film. The body is gray iron, cast in one piece with bearings and legs generously oversized and well ribbed. The body and bearings are mounted at an angle which solves the problem of keeping the reel in mesh with driving-pin and eliminates the trouble-making rotating springs and bearings with their danger of friction, heat and fire. Gravity does the job in the National GoldE Automatic Rewind and does it positively. Three thousand feet of film may be rewound on any make of reel. The inside circumference of the body is lined with sound-absorbing felt. Damage to film ends from abrasion and slapping is decreased in this way. With the National GoldE Automatic Rewind, positive action is assured indefinitely. The tube is locked in neutral position as soon as the door is open, thus breaking the circuit. Adjustable friction for any desired tension is provided through accurately machined brake and drum with brake shoes lined with Johns-Manville brake lining. The rewinder is powered by a dependable Janette motor. Another novel feature in the National GoldE Automatic Rewind is the gauge pointer which slides on a shaft fitted at the bottom of the case. With this gauge the projectionist has a means of straightening reels. Bent reels are always dangerous and the cause of trouble, both in take-up and rewind. The National GoldE Automatic Rewind is finished in crystal black baked-on enamel. A durable and lasting surface—easy to keep clean. Length 37½ inches; height 21 inches; thickness 9 inches; weight 150 pounds; equipped with 1/6 h. p. 110 volt motor A.C. or D.C.; motor specially designed to meet all fire regulations. Price complete, f. o. b. Chicago...



Special Booth Table

No. T-110. Has heavy angle reinforced legs and 16-gauge steel top; equipped with 2 set-in drawers. Will accommodate sixteen 15" reel sections and is adaptable for automatic rewind as well as a substantial work bench. Size, 60x24x38 in. Price

ORDER BY MAIL — If You're Not Satisfied, You're Money Will Be Cheerfully Refunded. NATIONAL SERVES YOU RIGHT.

#### STURDY NATIONAL REWIND BENCH



The National Rewind Table was developed for use in connection with the Automatic Rewind and makes a wonderful work bench. It is constructed entirely of heavy steel. The top has a 4-inch extension in front, with especially reinforced edges for clamping on hand rewinders, waxers, vises, etc. The legs are of heavy angle iron and well braced, with special heavy braced support for reel cabinets, adjustable for either 1,000; 2,000 or 3,000 foot reels. Three drawers, 16x21x4½ in. deep, are provided for the storage of tools and booth supplies, leaving the table top clear for emergency repairs and other needs of the projection room. The drawers, which are very rigid, are fitted with handles and locks. They operate on roller bearings. A large waste can or storage bin, 15½x22½x21½ in., with strong self-closing hinges and fitted with handle is also provided. Provisions are also made for casters. The table is 60x26 in., 36 in. high and is finished complete in olive green enamel, baked on, which will not scuff or peel off. Special reinforcements and holes are provided where Rewinder is to be fastened to table. No projection room is completely equipped and safely protected against fire without this table.

#### Innovation Film-Vault Cabinets



The Neumade Unit Idea has proved extremely popular. Each cabinet holds just one reel of film—and you can buy one cabinet or a score of them. The cabinets bolt together quickly and easily to make an efficient, good looking piece of equipment of any capacity desired. Made to accommodate all sizes of reels, from 10" to 18". Heavy steel throughout. Every piece die-cut and perfectly fitted. Each section separated by a double wall or air chamber. Equipped with a reel carriage which lifts reel when the door is opened. The only film cabinet made of the innovation type where additional sections can be added. For 18" reels, per section \$4.50; for 11" reels, per section \$4.50; for 10" ree

#### **Film Cement Applicator**

Think of the saving in cement, the ease and accuracy with which the cement can be applied, the saving in time and the prevention of mussiness—consider these points and you'll realize the necessity of this little device in every projection room. It's a necessity which should be provided, an article the booth should not be without. Saves spills, prevents overflowing, will last a lifetime. Good-looking; made of cast iron; wide base prevents tipping; equipped with cement bottle, everwearing brush, and aluminum cork attached to brush handle. Carries a quantity of cement and flows cement instead of brushing it on patch. Neuma de Applicator, price, complete

#### Safety Film Leader Box





National-Leland Film Cleaner

Film Cleaning Pads, per box 100, \$0.60. Film Cleaning Liquid: Pints, \$0.80; Quarts, \$1.50; Gallons, \$5.00.

#### National Film Leader Blank



Sound film must be precisely framed for perfect synchronization, especially where the sound-on-disc system is used. National Blank Film Leaders are designed for rapid and accurate framing. The leader is divided into marked squares which assure absolute accuracy in framing. Price, per ft.

#### HANDY EXTENSION LIGHTS

USEFUL AROUND THEATRES

Reclite keeps the lamp cord always out of the way—clean and unkinked—always within arm's reach of the projectionist. No time lost untangling cords or making extensions. A necessity in every moving picture booth. Black enameled reel-unit, 74 in. in diameter, with base for attaching 34 or 4 in. outlet box; 25 ft. of approved rubber covered cord. With or without brass or porcelain key wire open guard or Loxon guard. Will take lamps up to and including 60 watt.

Reclite, complete as illustrated

Protex fills a long-felt want in providing absolutely safe extension light service tunder any condition. Manufacturers and engineers evidence immediate interest when these units are explained to them and recognize the efficiency and saving of life, time and money that Protex makes possible. Protex PGH Handle, Socket and Wire Guard with Hook, each



#### Test-O-Lite

Safe — Convenient — Time - Saving. Locates burnt - out fuses in-bles, faults in circuits, locates trouble.

stantly, electric light and motor troubles, faults in circuits, etc. A tiny lamp in the top of TEST-O-LITE detects trouble. TEST-O-LITE is as neat as a fountain pen, is attractively finished in Bakelite and is so substantial that it will last a life-time. Price, each

#### THE HULETT Reel End Alarm

This is the most practical, simplest and most reasonably priced Reel End Alarm that can be procured. Anyone can install it, and, when once installed, they will last for years. It is absolutely positive, and can be adjusted to ring at any point desired by the projectionist. Inexpensive; it saves its cost many times over daily by preventing "white screens" and miscued changeovers. Each projector should be equipped with reel-end alarms as a service to patrons who appreciate uninterrupted projection. Every projectionist knows its value and will tell you that you cannot afford to be without it. Absolutely fool-proof—it always works with satisfaction. Price



#### ROCKBESTOS

- the asbestos covered wire.



This is the genuine Rockbestos extra flexible motion picture cable with finest construction and will withstand more wear than any other cable and will never deteriorate.

*****	-	11 0002	UZAUVAA.	Daniel Co.			.,			
No.	2.	per	foot				 	15-00 AV 05 TO TO TO TO AV 05	\$	0.45
No.	4,	per	foot			*********	 and all the part of the contract of the task of the contract o	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		.35
			foot							.25
No.	8,	per	foot	-	*****		 y + 4 + 4 pp. 4 + 4 to 4 +	THE SECTION AS A SECTION AS A P. P.	*****	.15

#### National Sound Film Lacquer

#### National Film Cabinets

Made in two types—
"A," from which reels are removed through top covers; and "B," from which reels are removed through from covers. Construction of No. 24 gauge steel, finished in olive green; no solder is used in the ir construction. Each reel is protected by a double wall with dead air space between, and reel lifting stirrup automatically lifts the reel when cover is opened; stirrup also serves to keep the cover closed firmly when reel is in the compartment.



,			1 cp (	pening
TYPE "A" - OPEN !	TOP S	TYLE		
Compartments 4	6	8	10	12
For Reels 10 in. dia.—  Length, in. 14  Width, in. 14½  Height, in. 14½  EACH \$11.00	21 14½ 14¼ 17.00	28 14½ 14¼ <b>23.00</b>	35 14½ 14¼ <b>29.00</b>	42 14½ 14¼ 35.00
For Reels 15 in. dia. — 14  Length, in	21 17¼ 18¼ 18.80	28 17 <sup>1</sup> / <sub>4</sub> 18 <sup>1</sup> / <sub>4</sub> <b>25.40</b>	35 171/4 181/4 32.00	42 17¼ 18¼ 38.60
,				
TYPE "B" - OPEN F	RONT	STYLI	2	
TYPE "B" — OPEN F	RONT	STYLI	10	12
TYPE "B" — OPEN F	6 21	8 28	10 35	42



#### Neumade Film Waxing Machine

The Neumade Filmwaxer is constructed with a release arm so that the film can be inserted between the rollers with ease. The waxer stand slides on the clamp arm, which permits perfect alignment with rewinders. There are no springs or adjusting nuts to complicate its operation. This waxer is built for speed and perfect lubrication of the film. Meets the modern demand for better care of sound film and should be an integral part of the equipment in every well-regulated projection room. Takes up small space; rigid construction and scientific design. No better waxer made.



#### UNIVERSAL FILM MENDER

A BIG VALUE AT A VERY LOW PRICE The Universal has long been a popular patcher with projectionists who appreciate what such an efficient and helpful device means to them. It is made of strong durable materials, accurately machined and with reasonable care will last a lifetime. A compact device for mending films, Makes a smooth, permending films, Makes a smooth, permanent patch when used with Bull Dog or Firm Set Film Cement. Renders high class results on either new or old films. Has a permanent gauge and no adjusting is necessary. A splendid value. Price, complete

#### GRISWOLD FILM SPLICER



Griswold Film Splicers are simple in construction and their operation easily understood. A stationary double shear blade is located over the center of the base, on each side of which is a swinging film clamp comprising upper and lower jaws. On the lower jaw of each clamp is attached a shear blade to coact with the stationary double shear blade so that a section of film placed in the right film clamp may be sheared by the shear blade carried by the left clamp and a section placed in the left film clamp may be sheared by the left clamp and a section placed in the left film clamp may be sheared by the shear blade carried by the right film clamp may be sheared by the shear blade. The emulsion scraper is provided with a blade having eight edges, as but one edge is used at a time, much service can be had from a single blade. A guard is attached to the upper left jaw to prevent applying cement where not needed and attached to the upper right jaw are the springs which press the sections of film together after applying the cement. Regular finishes are in black enamel and nickel.

#### **National Film Cements**



FIRM-SET
This high quality film cement is prepared for us under an approved formula and of the very best ingredients obtainable. It is in general use in large theatres and film exchanges throughout the country and is accepted by experts as the finest product obtainable. Makes an extremely even, flat and durable patch, works fast and can be depended upon under all conditions. Insist on National Firm Set Film Cement if you want the best value. Per gallon \$5.00; per quart \$1.75; pints, \$1.00.

Ounce bottles, each

Whatever You Need - Delivered When and Where You Need It. NATIONAL IS AL-WAYS ON THE JOB — DAY OR NIGHT.

# Projection Room Supplies, Accessories

#### The National Louvrelight




#### Rewinder Pulleys

For motor drive attachment. Cast aluminum—light and strong. Deep belt flanges. Precision fitted for two standard sized shafts—ft and %". Fastens to shaft with set screw. Also made in cast iron. State s haft size wanted. Order RP1 (aluminum) \$2.50; RP2 (cast iron)



## **Mazda Exciter Lamps** for Sound Equipments





Ask the National representative about the economy and other advantages of buying your Exciter Lamps on a Lamp Contract — Form "E," along with your regular Mazda Lamps for house and sign lighting. Quick delivery—better service.



#### FOR BETTER CONTINUITY



ON THE STAGE AND IN THE BOOTH

The exacting requirements of talking picture presentation have made this little bulletin board one of the necessities every first-class theatre should provide. This convenient cue sheet holder, or bulletin board, has illuminated sign with white opaline letters at top, light is also reflected down the cue sheet, which is held in place by a spring clip. This device is 10 inches wide by 14 inches high overall, finished attractively with wire lead and socket ready to install. Price..... stall. Price..

Sign at top can be fur-nished to read "Bulletin" at same price.

#### Carbon Cabinet

Prevents Loss from Broken Carbons

Constructed of all steel, rigidly built, has following roomy compartments for carbons and one drawer for tools or carbon butts: Three compartments for carbons—two 6"x8"x10" and one 6"x12"x10". One tool drawer 6"x12"x18" and one spacious compartment for miscellaneous items equipped with hinged cover. Flat top area 10"x12" with two cups for record needles. Overall size 12"x18"x24". Baked-on olive gray enamel. Neumade Carbon Cabinet Carbon Cabinet No. S-309; \$3650 each





#### CABINET RACK

With Carbon Holder

This is one of the most practical and useful combination racks ever developed for use in the projection room. It serves several distinct needs for efficiency and is one of the most popular items in the Neumade line. Constructed to hold one or two 5-reel Booth Cabinets, equipped with compartments for carbons. Made up with a removable top plate, which when removed accommodates another 5-reel cabinet. Compact, convenient, and requires little floor space. Size 20x35x21 in. Finished in baked on olive green enamel. Neumade Cabinet Rack Rack No. R-451, \$2



W. E. 4

#### FILM MEASURING MACHINE



Perfect synchronization of Sound Film—and the public will accept nothing else these days—depends upon absolute accuracy in the measurement of the film. Cutting, inspecting, and patching must be done with a machine that counts the frames. Measuring footage and guessing from that point on won't do! All Neumade Measuring Machines equipped with the Special Counters. They won't warp. Screws or bolts we illustrate a Standard Neumade Measuring Machine, especially equipped with new Frame Counter and White Enameled Cast Steel Base. Single Eight-Frame Brass Sprocket Hub, heavily nickel plated, with frame slots to make cutting and splicing easy.

#### CAUTION LABELS

#### OPTICAL PORTHOLE GLASS

#### OPERATORS' RUBBER GLOVES

**USE GOOD** Len



LENSES? Ask a National representative to send you a pair of really high class lenses with trial privilege. The value of good lenses cannot be overestimated, yet their cost is small compared to other equipment of no less consequence. We can supply exactly the size and type of projection lens needed to correct any condition where improvement is needed.

#### USE B & L PARABOLIC CONDENSERS

The Parabolic Cinephor Condensers are being used everywhere now where theatre men want more light and a better light without boosting the amperage. 20% to 25% more light is saved with these condensers. P. A. 20 Cinephor Parabolic Condenser, 4-15/32" diameter for regular arc lamp. Each \$12.00

Each
A. 10 Cinephor Plano Convex Condenser of 6 ½" focus for use with P. A.

12 Same as above but 71/2" focus.

S

A. 14 Same as above but 8\%" focus. Each

M. 15 Cinephor Parabolic Condenser for Mazda 4" diameter for use with P. M. 25 or P. M. 30. Each

M. 25 Cinephor Parabolic Condenser 5\%" diameter for Mazda. Each

M. 30 Cinephor Parabolic Condenser 5\%" diameter for Mazda for Simplex Mazda. Each

SENT. FOR COMPLETE CHECHIAN

15.50 15.50

SEND FOR COMPLETE CIRCULAR





#### **ReflectorArcCondensers**

Condensers for Peerless Reflecting Arc Lamp, size 8" diameter, 19" focus. Each

#### LENS — BRITE The Perfect Lens Polish

Lens-Brite is a new chemical compound which cleans all foreign matter from lens surfaces and polishes the surface to its original finish. Positively non-inflammable. To obtain best projection results all lenses should be carefully cleaned regularly with a polish that will not injure the delicate surface of the lens. Lens-Brite positively will not injure the lens, but rather restores it to highest efficiency. It cleans as it polishes. Should be kept on hand in every projection room. Large, two and one-half ounce bottle. Price.

## Neumade Sound Picture Record Cabinets

This cabinet equipped with 25 shelves each covered with green felt. Also one drawer equipped with three needle cups and ample space for tools and accessories. This cabinet also has an index for each record. Finished in olive gray baked - on en amel. Model S-503 as illustrated, f.o.b. factory

WE HANDLE THE EN-TIRE NEUMADE LINE OF FILM HANDLING AND. PROJEC -TION ROOM EQUIP-MENT-ASK FOR CATALOG.



# Needed for Well-Equipped Houses

CONTROLS THE SQUIRT

#### Plews' Pistol Oiler

It's mighty hard to gauge a squirt with the ordinary oil can. You can not be sure just what a "thumb-push" on the bottom of the can is going to produce. A few drops may spit out and then again a stream of oil will shoot out that completely floods the area around the place to be oiled. Every user of an oiler will readily appreciate the advantages of "definite squirt control." The action of a Plews' Pistol Oiler Is always positive. A certain degree of pressure will always deliver exactly the same quantity of oil. For those parts that are hard to get at and hard to see — just one shot with the Plews' Pistol Oiler and you know it's oiled to the exact degree you want. ALL-METAL action. No wear-out. Few and simple parts. Trigger action for ease in operating and assuring perfect control. Entire working assembly in one DETACHABLE unit. Oil driven by MECHANICAL force, not air-pressure. Pumps any oil that will flow — either winter or summer. Will feed when held in any position. Well-balanced, comfortable to handle. Spring clip holder with each oiler. Model No. 100. Capacity, ½ pint; length of spout, 6 inches; height of oiler, 5 inches. Price

**Genuine PYREX** Condensers

Pyrex Condensers resist the heat generated by carbon arcs or high wattage bulbs used in motion picture projectors and spot lamps. Ordinary glass has a high coefficient of expansion and contraction which causes breakage under temperature changes. Pyrex condensers withstand extreme changes of temperature in the booth and their light transmission qualities compare most favorably with highest quality crown glass and approach very nearly the properties of quartz condensers at a fraction of their cost. Genuine Pyrex Condensers give constant, uninterrupted service and their additional cost is saved many times by greatly reduced replacement and efficient service. 8" diameter, 10", 12" or 15" e. f., each \$21.00; 6" diameter, 9" or 10" e. f., each \$10.50; 5" diameter, 9" or 10" e. f., each \$10.50; 5" diameter, 9" e. f., each \$7.50; 4½" diameter, 6½", 7½" or \$60.

#### SPOT LAMP CONDENSERS

de of very best quality optical glass, accurately and finished. Can be used in all standard spot and

#### STEREOPTICON LENSES

An exceptionally high-quality single lens which can be used on any make of n picture projector. Any focal length. **Each**. motion

#### Speed Indicator

RELIABLE—ECONOMICAL

The new Strong Film Speed Indicator has been perfected to sell at less than half the price asked for most other reliable devices of its kind. The indicator head shows both the number of film feet per minute and the minutes consumed per thousand feet of film. It is read at a glance from any angle. Accuracy guaranteed. In ordering state the make and model of your projectors. Strong Film Speed Indicator, complete

tor, complete with 3 feet of flexible shaft-ing. Price,




HEAT AND MOISTURE PROOF COLOR MEDIA



Supreme the world over for more than 50 years and the standard by which all gelatine is measured, TRANSFLEX comes in large sheets 20x24 in. and can be furnished in any color desired. Less than 100 Sheets, per sheet, 30c. In lots of 100 Sheets, per

#### K. F. CARBON SAVERS



Made of heavy bronze that will stand the heat and will last the life of any reflector arc lamp they are used in. Not an experiment, they are practical and do the work. They were perfected after considerable

onsiderable
experimentingby
operators who
know. Order a set
today.

#### The Popular B. & H. Lug

Good copper terminal. Per dozen, \$1.00.



#### Belt Hooks


We carry these in various sizes for the different sizes in belting. Price, per doz....



#### Belt Couplings

Can be had in either on in., 1/2 in., or of the in. Price, each.....

25c



Have You Tried Out the New SRA NATIONAL CARBONS For Low Intensity Lamps? A Convince You.

#### **BRUSHES FOR** ALL MAKES OF GENERATORS



All National branch stores carry a liberal stock assortment of highest quality brushes for all standard types and models of motor-generators and motors. For special or obsolete equipment brushes can be made up to order and delivered promptly. Our brushes are made from the very best materials, tested for quality and accurate fitting and are the highest value the market affords. Prices:

affo	rds.	Price	s:
GE	Gen	erator	Brushes:

da denombre artistics.	Sec. Land
35-amp. 8 to a set, each\$0	.75
50-amp. 8 to a set, each	.75
70-amp. 8 to a set, each	.75
100-amp. 12 to a set, each	.75
125-amp. 12 to a set, each	.75
Hallberg Generator Brushes:	
20-40 amp. 4 to a set, each	.75
30-70 amp. 4 to a set, each	.75
Martin Rotary Converter Brushes:	
10 kw. 8 to a set	.00
15 kw. 12 to a set1	.00
20 kw. 18 to a set1	.00
Up to 6 kw. 4 to a set1	.00
Hertner Transverter Brushes:	
20-30-40-50 amp. Series Arc, 4 to a set, each	.75
75 amp. Series Arc, 6 to a set, each	.75
100 amp. Series Arc, 8 to a set, each	.75
125 amp. Series Arc, 12 to a set, each	.75
30-60 and 40-80 amp. Multiple-Arc, 4 to a set, each C	.75
60-120 amp. Multiple Arc, 6 to a set, each 80-160 amp. Multiple Arc, 8 to a set, each	.75
80-160 amp. Multiple Arc, 8 to a set, each	.75
100-120 amp. Multiple Arc, 12 to a set, each C	1.75
Wagner Rotary Convertor Brushes:	
35-amp. D. C. 2 to a set, each	.50
35-amp. A. C. 2 to a set, each	.75
50-amp. D. C. 4 to a set, each	1.50
50-amp. A. C. 2 to a set, each	.25
Westinghouse Generator Brushes:	
4½ kw., 8 to a set, each	.75
234 KW X to 9 Set each	1.75
5 2/5-5 1/2 kw., 50 amp. 8 to a set, each	.75
6% -8% kw., 90 amp. 8 to a set, each	.75
Watton Revolux Generator Brushes, 4 to a set, each	
Roth Actodector Brushes:	
25-amp, 14"x 1"x4", 2 to a set, each.	.80
35-amp, 14"x 54"x 36", 8 to a set, each	0.80
50-amp. 14"x5%"x½", 8 to a set, each	.80
75-amp. 1%"x 1"x½", 8 to a set, each	08.0
25-amp. 1¼"x 1"x½", 2 to a set, each	08.0
Pidelity Motor Brushes, each	
	.35
Janette A. C. and D. C. Motor Brushes, each	.35

#### American Beauty Electric Soldering Iron

This dependable electric soldering iron will find a hundred uses in every theatre. It entirely eliminates fire hazard, and saves the time and trouble involved in the use of old style flame heated irons. The iron listed here is unconditionally recommended as the best on the present market.

It may be used with either a melting cup or a soldering tip as illustrated. Nothing to get out of order -- conveniently used anywhere electric cur-rent is available.

			WITH					
No. 31	138. 10	0 watt	length	121/4"				8.00
No. 33	158, 20	00 watt	; length	13"		**********		9.25
No. 31	178, 30	00 watt	length	13 % "				11.50
	Melt	ing Cur	s for I	rons in	Order	Listed	Above	
No. 36	638, 3	-oz. ca	pacity					1.20
								2.00
No. 30	678, 17	7-oz. ca	pacity					2.75
			ps for 1					
No. 3'	738, %	" diam	eter					0.60
No. 3'	758, %	" diam	eter	************				
No. 37	778. 7/8	" diam	eter	*********		Name Pitt Con page	***********	1.90

#### Electric Tool Chest-Always Handy



#### Ball-Bearing Grinder-Polisher



New, powerful grinder with ball bearings throughout. Designed to fill the need for a 6" bench grinder of Black & Decker quality at low cost, for general purpose grinding, polishing and tool sharpening. Wheel guards are adjustable, making it possible to grind at any position on the circumference of the wheels. The rubber feet and lifting handle are special features, affording the utmost in convenience — as the rubber feet make it possible to do ordinary grinding without necessity for fastening the grinder down and, by means of the handle, grinder can be readily moved from place to place to suit the nature of the work or the convenience of the operator. This grinder is practically vibrationless, due to inherent balance and the absorptive qualities of the rubber feet. Furnished complete with two 6x½ in wheels with ½-inch hole; 110-volt, 50-60 cycle, single-phase, AC motor; two adjustable tool rests; two adjustable wheel guards; switch located in base, three conductor cable with attachment plug, and rubber feet. Net weight 36 lbs. Price, complete

#### NATIONAL REPAIR SERVICE

Each National Branch maintains a well-equipped shop for the repair and maintenance of theatre equipment. Expert mechanics are in charge of all operations and only GENUINE repair parts are used. Each National rebuilt projector or mechanism is therefore a guaranteed job.

#### EMERGENCY SERVICE

Accidents will occur. National trouble-shooters are always ready to help you out of mechanical trouble - DAY or NIGHT. A call to the National Branch gets results quickly.

